2003 ANNUAL INDEXES

Textile Research Journal

Volume 73

AUTHOR AND TITLE INDEX, pp. 1107–1115

MONTH	PAGES
January	1–92
February	93–186
March	187–280
April	281–374
May	375–468
June	469–562

SUBJECT INDEX, pp. 1116–1126

MONTH	PAGES
July	563–656
August	657–750
September	751–844
October	845–938
November	939–1032
December	1033–1126

AUTHOR AND TITLE INDEX

Abou-iiana, M. Assessing Structural Changes in Knits During Processing (*Youssef, Pastore, Gowayed*) 535

Acar, M. Effect of Nozzle Geometry on the Flow Characteristics of Hydroentangling Jets (*Ghassemieh, Versteeg*) 444

Akin, Danny E. Chemical Structural Investigation of the Cotton Fiber Base and Associated Seed Coat: Fourier-Transform Infrared Mapping and Histochemistry (*Himmelsbach, Kim, Hardin*) 281

Effects of Acidic Media Pre-incubation on Flax Enzyme Retting Efficiency (*Zhang, Johansson, Pettersson, Foulk, Khalili, Henriksson*) 263

Modifying Dew-Retted Flax Fibers and Yarns with a Secondary Enzymatic Treatment (*Evans, Morrison, Himmelsbach, McAlister, Foulk*) 901

An, Seung-Kook Properties of Specialty Yarns Based on Raw and Dyed Cotton (*Koo, Park, Koo*) 26

Anand, S. C. Effects of Various Home Laundering Practices on the Dimensional Stability, Wrinkling, and Other Properties of Plain Woven Cotton Fabrics Part I: Experimental Overview, Reproducibility of Results, and Effect of Detergent (*Higgins, Holmes, Hall, Underly*) 357

Part II: Effect of Rinse Cycle Softener and Drying Method and of Tumble Sheet Softener and Tumble Drying Time (*Higgins, Holmes, Hall, Underly*) 407

Arai, Kozo Effect of Cooling Rate on Freezing of Wool-Water Mixtures (*Takahashi, Mitomo, Takigami*) 597

Enthalpies of Water in Freezing and Thawing of Wool-Water Mixtures (*Takahashi, Mitomo, Takigami*) 546

Au, K. F. Effects of Yarn and Knitting Parameters on the Spirality of Plain Knitted Wool Fabrics (*Chen, Yuen, Yeung*) 421

Augustin, P. Quantitative Fiber Mixture Analysis by Scanning Electron Microscopy Part V: Analyzing Pure Fiber Samples and Samples with Small Admixtures According to Test Method IWTO-58 (*Wortmann, Phan*) 727

Part VI: Possibilities and Limitations of the Analysis of Binary Specialty Fiber/Wool Blends in View of Test Method IWTO-58 (*Wortmann, Phan*) 781

Ba, Ta Modeling the Twist Level at the Peeling Point in Rotor Spinning (*Huang*) 390

Babaarslan, Osman Determining an Optimum Opening Roller Speed for Spinning Polyester/Waste Blend Rotor Yarns (*Duru*) 907

Bae, Ji Hyun Automatic Recognition of Woven Fabric Patterns by an Artificial Neural Network (*Jeon, Suh*) 645

Banks-Lee, P. Determining Radiative Heat Transfer Through Heterogeneous Multilayer Nonwoven Materials (*Mohammadi, Ghadimi*) 896

Determining Effective Thermal Conductivity of Multilayered Nonwoven Fabrics (*Mohammadi, Ghadimi*) 802

Bao, L. Relation Between Frictional Characteristics and the Strings' Ability to Make a Tennis Ball Spin (*Sakurai, Nakazawa*) 570

Batra, Subhash K. Forming Shaped/Molded Structures by Integrating Meltblowing and Robotic Technologies (*Farer, Seyam, Ghosh, Grant, Lee*) 15

Bechtold, Thomas Fiber Friction in Yarn—A Fundamental Property of Fibers (*Campos, Rohrer*) 721

Beevers, Claire Net-Shape Knitting for Complex Composite Preforms (*van Vuure, Ko*) 1

Ben Hassen, M. Experimental Study of a High Drafting System in Cotton Spinning (*Sakli, Sinoimeri, Renner*) 55

Berkalp, Ö. B. Texture Retention After Fabric-to-Fabric Abrasion (*Pourdeyhimi, Seyam, Holmes*) 316

Bertoniere, Noelie R. Effect of Purified *Trichoderma reesei* Cellulases on the Supramolecular Structure of Cotton Cellulose (*Rousselle, Howley, Pere, Buchert*) 921

Bertran, Enric Free Radical Formation in Wool Fibers Treated by Low Temperature Plasma (*Molina, Erra, Julià*) 955

Bhattacharya, A. An Infrared Technique for Rapid Analysis of Ramie-Acrylic Blends (*Dey, Mukherjee*) 1062

Blanchard, Eugene J. Phosphorylation of Cellulose with Some Phosphonic Acid Derivatives (*Graves*) 22

Borsa, J. "Mercerization" of Cotton with Tetramethylammonium Hydroxide (*Tóth, Reicher, Sallay, Sajó, Tanczos*) . 273

Bosch, T. Thermal Analysis and Differential Solubility of Polyester Fibers and Yarns (*Manich, Carilla, Ussman, Maillo, Gacén*) 333

Broadbent, Arthur D. Modeling the Influence of Dye Distribution on the Perceived Color Depth of a Filament Array (*Motamedian*) 124

Brushwood, Donald E. Noncellulosic Constituents on Raw Cotton and Their Relationship to Fiber Physical Properties 912

Bueno, Marie-Ange Tribologic Phenomena During Wear of Fibrous Structures (*Fontaine, Renner*) 631

Buchert, Johanna Effect of Purified *Trichoderma reesei* Cellulases on the Supramolecular Structure of Cotton Cellulose (*Rousselle, Bertoniere, Howley, Pere*) 921

Cai, Zaisheng Effect of Atmospheric Plasma Treatment on Desizing of PVA on Cotton (*Qiu, Zhang, Hwang, McCord*) 670

Using an Aqueous Epoxide in *Bombyx mori* Silk Fabric Finishing (*Qiu*) 42

Calamari, Timothy A. Measuring the Short Fiber Content of Cotton (*Cui, Robert, Price, Watson*) 891

Campos, Rui Fiber Friction in Yarn—A Fundamental Property of Fibers (*Bechtold, Rohrer*) 721

Candan, Cevza Contribution of Fabric Characteristics and

Laundering to Shrinkage of Weft Knitted Fabrics (*Onal*) 187
Effect of Gray Fabric Properties on Flame Resistance of Knitted Fabric (*Ozcan, Dayioğlu*) 883
Properties of Plain Knitted Fabrics from Chenille Yarns (*Nergis*) 1052
Cardello, Armand V. Predicting the Handle and Comfort of Military Clothing Fabrics from Sensory and Instrumental Data: Development and Application of New Psychophysical Methods (*Winterhalter, Schutz*) 221
Carilla, J. Thermal Analysis and Differential Solubility of Polyester Fibers and Yarns (*Manich, Bosch, Ussman, Maillo, Gaćen*) 333
Carr, W. W. Camera-Based Measurement of Textile Card Web Density (*Dorrity, Zhao*) 69
Carrillo, F. Structural Characterization and Properties of Lyocell Fibers After Fibrillation and Enzymatic Defibrillation Finishing Treatments (*Colom, Valldeperas, Evans, Huson, Church*) 1024
Chae, D. W. Effect of Cellulose Pulp Type on the Mercerizing Behavior and Physical Properties of Lyocell Fibers (*Choi, Kim, Oh*) 541
Chang, Lingli Comparing the Hairiness of Solospun and Ring Spun Worsted Yarns (*Wang*) 640
Effect of Yarn Hairiness on Energy Consumption in Rotating a Ring-Spun Yarn Package (*Tang, Wang*) 949
Reducing Yarn Hairiness with a Modified Yarn Path in Worsted Ring Spinning (*Wang*) 327
Chen, Cheng-Chi Crosslinking of Cotton Cellulose in the Presence of Alpha-Amino Acids Part I: Physical Properties and Agent Distribution (*Wang, Chen*) 797
Physical Properties of Nomex Yarns Pretreated with Various Amines (*Wang*) 395
Chen, Donghui Antibacterial Properties of Cotton Fabrics Treated with Chitosan (*Zhang, Chen, Ji, Huang*) 1103
Chen, Dongsheng Fiber Migration and Twist Radial Distribution in Rotor Spun Yarns (*Zhang, Wan*) 945
Chen, Jui-Chin Crosslinking of Cotton Cellulose in the Presence of Alpha-Amino Acids Part I: Physical Properties and Agent Distribution (*Wang, Chen*) 797
Chen, Keng-Ming Polyethylene Glycol/Polydimethylsiloxane Polyester Products as Leveling Agents in Nylon Dyeing (*Liu, Lin*) 583
Chen, Liang Antibacterial Properties of Cotton Fabrics Treated with Chitosan (*Zhang, Ji, Huang, Chen*) 1103
Chen, Q. H. Effects of Yarn and Knitting Parameters on the Spirality of Plain Knitted Wool Fabrics (*Au, Yuen, Yeung*) 421
Chen, Ruiqi Applying a Generalized Predictive Control Theory to a Carding Autoleveler (*Guo, Hu*) 755
Chen, Ting Modeling Polymer Air Drawing in the Melt Blowing Nonwoven Process (*Huang*) 651
Chen, Xiaogang Engineering, Manufacturing, and Measuring 3D Domed Woven Fabrics (*Tayyar*) 375
Chen, Y. S. Clothing Thermal Insulation During Sweating (*Fan, Zhang*) 152
Cheng, Chao-Chuan Weaving Method of 3D Woven Preforms for Advanced Composite Materials (*Chiu*) 37
Cheng, K. P. S. A Study of Compact Spun Yarns (*Yu*) 345
Evaluating and Comparing the Physical Properties of Spliced Yarns by Regression and Neural Network Techniques (*Lam*) 161
Relationship Between Appearance and Physical Properties of Raw Cotton (*Cheng*) 245
Cheng, Y. S. J. Relationship Between Appearance and Physical Properties of Raw Cotton (*Cheng*) 245
Chiang, Waider Dynamic Control of a Cross-Lapper (*Kuo*) ... 64
Chiu, Chang-Hsuan Weaving Method of 3D Woven Preforms for Advanced Composite Materials (*Cheng*) 37
Cho, Gilsoo Characteristics of Rustling Sounds Created by the Structure of Polyester Warp Knitted Fabrics (*Kim, Yoon, Park*) 685
Variations in Sensibility to Fabric Frictional Sound by Fiber Type and Subject (*Na*) 837
Choi, K. F. An Energy Model of Plain Knitted Fabric (*Lo*) ... 739
Choi, K. R. Effect of Cellulose Pulp Type on the Mercerizing Behavior and Physical Properties of Lyocell Fibers (*Chae, Kim, Oh*) 541
Chu, C. Backscattering of Light in Determining Fiber Orientation Distribution and Area Density of Nonwoven Fabrics (*Zhou, Yan*) 131
Chun, So Yeon Structural and Mechanical Properties of Woven Fabrics Employing Peirce's Model (*Jeon, Hong*) 929
Chung, Yong Sik Characteristics of Ultrasonic Dyeing on Poly(ethylene Terephthalate) (*Lee, Kim*) 751
Church, J. Structural Characterization and Properties of Lyocell Fibers After Fibrillation and Enzymatic Defibrillation Finishing Treatments (*Carrillo, Colom, Valldeperas, Evans, Huson*) 1024
Colom, X. Structural Characterization and Properties of Lyocell Fibers After Fibrillation and Enzymatic Defibrillation Finishing Treatments (*Carrillo, Valldeperas, Evans, Huson, Church*) 1024
Cribbs, Danny Hydrolytic Degradation of Nylon 66 Pile Carpet Fibers (*Ogale*) 98
Cui, Xiaoliang Estimating Single Cotton Fiber Tensile Properties from the Load-Elongation Curves of Slack Bundles (*Suh, Sasser*) 1066
Measuring the Short Fiber Content of Cotton (*Calamari, Robert, Price, Watson*) 891

Dai, Xiaoqun Simulating Anisotropic Woven Fabric Deformation with a New Particle Model (*Li, Zhang*) 1091
Davidonis, Gayle Effects of Growth Environment on Cotton Fiber Properties and Motes, Neps, and White Speck Frequency (*Landivar, Fernandez*) 960
Dawson, R. M. A Class of Stripe-Free Color and Weave Effects 1041
Letter to the Editor: Color and Weave Effects—A Correction 78
Dayioğlu, Habip 2,2′ Bipyridine Catalyzed Peracetic Acid Bleaching of Cotton (*Gürsoy*) 297
Effect of Gray Fabric Properties on Flame Resistance of Knitted Fabric (*Ozcan, Candan*) 883
De Clerk, Karen Improving Quality and Reproducibility of the Indigo Dye Process by Measuring and Controlling Indigo and Sodium Dithionite Concentrations (*Westbroek, Kiekens, Gasana, Temmerman*) 1079
Dey, S. K. An Infrared Technique for Rapid Analysis of Ramie-Acrylic Blends (*Mukherjee, Bhattacharya*) 1062
Diéval, F. Polyester Fiber and Microfiber Structure by X-Rays and Viscoelasticimetry (*Mathieu, Durand*) 200
Dong, Z. Novel Technology for 3D Nonwovens (*Gong, Porat*) 120
Dorrity, J. Lewis Camera-Based Measurement of Textile Card Web Density (*Zhao, Carr*) 69
Durand, B. Polyester Fiber and Microfiber Structure by X-Rays and Viscoelasticimetry (*Diéval, Mathieu*) 200
Duru, Pinar N. Determining an Optimum Opening Roller Speed for Spinning Polyester/Waste Blend Rotor Yarns (*Babaarslan*) 907

Eichhorn, S. J. Reply to "Deformation Micromechanics in Regenerated Cellulosics Using Raman Spectroscopy—*Caveat Emptor*" (*Young*) 936
Eischen, Jeffrey W. Optimal Pick-up Locations for Transport and Handling of Limp Materials Part I: One-Dimensional Strips (*Lankalapalli*) 787
Part II: Two-Dimensional Parts (*Lankalapalli*) 867
Endo, Tetsuhiko Mechanics of Disk-Type False Twisting Part I: Yarn Path and Friction Force on a Single Disk (*Shintaku, Kinari*) 139
Part II: Yarn Path and Yarn Inclination Angle in a Multiple-Disk Spindle Unit (*Shintaku, Kinari*) 192
Erlich, D. C. Slow Penetration of Ballistic Fabrics (*Shockey, Simons*) 179
Erra, Pilar Free Radical Formation in Wool Fibers Treated by Low Temperature Plasma (*Molina, Julià, Bertran*) 955
Evans, D. Structural Characterization and Properties of Lyocell Fibers After Fibrillation and Enzymatic Defibrillation Fin-

ishing Treatments (*Carrillo, Colom, Valldeperas, Huson, Church*) 1024
Evans, Jeff D. Modifying Dew-Retted Flax Fibers and Yarns with a Secondary Enzymatic Treatment (*Akin, Morrison, Himmelsbach, McAlister, Foulk*) 901

Fan, J. Clothing Thermal Insulation During Sweating (*Chen, Zhang*) 152
Fang, Kuanjun Ester Crosslinking Treatment for Reducing the Fibrillation Tendency of Lyocell Fibers (*Hao, Hu, Shao*) 1013
Farer, Raoul Forming Shaped/Molded Structures by Integrating Meltblowing and Robotic Technologies (*Seyam, Ghosh, Batra, Grant, Lee*) 15
Feitkenhauer, Heiko Anaerobic Microbial Cultures in Cotton Desizing: Efficient Combination of Fabric and Wastewater Treatment (*Meyer*) 93
Fernandez, Carlos Effects of Growth Environment on Cotton Fiber Properties and Motes, Neps, and White Speck Frequency (*Davidonis, Landivar*) 960
Fontaine, Stéphane Tribologic Phenomena During Wear of Fibrous Structures (*Bueno, Renner*) 631
Fotheringham, A. F. Dynamic Wetting of Fibers Observed in an Environmental Scanning Electron Microscope (*Wei, Mather, Yang*) 557
Fox, K. Developing a Polymeric Human Finger Sensor to Study the Frictional Properties of Textiles Part I: Artificial Finger Development (*Ramkumar, Wood, Harlock*) 469
Part II: Experimental Results (*Ramkumar, Wood, Harlock*) . 606
Foulk, Jonn A. Effects of Acidic Media Pre-incubation on Flax Enzyme Retting Efficiency (*Zhang, Johansson, Pettersson, Akin, Khalili, Henriksson*) 263
Modifying Dew-Retted Flax Fibers and Yarns with a Secondary Enzymatic Treatment (*Evans, Akin, Morrison, Himmelsbach, McAlister*) 901
Fujimoto, T. Compression and Thermal Properties of Recycled Fiber Assemblies Made from Industrial Waste of Sweater Products (*Sukigara, Yokura*) 310
Fukazawa, T. Experiment and Analysis of Combined Heat and Water Vapor Transfer Through Clothes with Condensation (*Kawamura, Tochihara, Tamura*) 774
Water Vapor Transport Through Textiles and Condensation in Clothes at High Altitudes—Combined Influence of Temperature and Pressure Simulating Altitude (*Kawamura, Tochihara, Tamura*) 657

Gaćen, J. Thermal Analysis and Differential Solubility of Polyester Fibers and Yarns (*Manich, Bosch, Carilla, Ussman, Maillo*) 333
Gamble, Gary C. Effects of Elevated Temperatures on the Chemical Properties of Cotton Fiber Pectin 157
Gao, Weidong Retro-Reflection of Round Fibers (*Zhang, Qiu*) 965
Gasana, Emmanuel Improving Quality and Reproducibility of the Indigo Dye Process by Measuring and Controlling Indigo and Sodium Dithionite Concentrations (*Westbroek, De Clerck, Kiekens, Temmerman*) 1079
Ghadimi, Parviz Determining Effective Thermal Conductivity of Multilayered Nonwoven Fabrics (*Mohammadi, Banks-Lee*) 802
Determining Radiative Heat Transfer Through Heterogeneous Multilayer Nonwoven Materials (*Mohammadi, Banks-Lee*) 896
Ghassemieh, E. Effect of Nozzle Geometry on the Flow Characteristics of Hydroentangling Jets (*Versteeg, Acar*) 444
Ghosh, Tushar K. Forming Shaped/Molded Structures by Integrating Meltblowing and Robotic Technologies (*Farer, Seyam, Batra, Grant, Lee*) 15
Meltblown Structures Formed by a Robotic and Meltblowing Integrated System: Impact of Process Parameters on Pore Size (*Velu, Seyam*) 971
Godfrey, Thomas A. Effect of Slipping Yarn Friction on Stress Concentration Near Yarn Breaks in Woven Fabrics (*Rossettos*) 292
Gong, R. H. Effects of Mold Porosity on Fiber Distribution in a 3D Nonwoven Process (*Ravirala*) 588
Novel Technology for 3D Nonwovens (*Dong, Porat*) 120
Gooijer, H. Flow Resistance of Textile Materials Part I: Monofilament Fabrics (*Warmoeskerken, Wassink*) 437
Part II: Multifilament Fabrics (*Warmoeskerken, Wassink*) . 480
Gordon, S. G. Internal Structure of Mature and Immature Cotton Fibers Revealed by Scanning Probe Microscopy (*Maxwell, Huson*) 1005
Gowayed, Y. Assessing Structural Changes in Knits During Processing (*Abou-iiana, Youssef, Pastore*) 535
Grant, Eddie Forming Shaped/Molded Structures by Integrating Meltblowing and Robotic Technologies (*Farer, Seyam, Ghosh, Batra, Lee*) 15
Graves, Elena E. Phosphorylation of Cellulose with Some Phosphonic Acid Derivatives (*Blanchard*) 22
Grundler, D. Matching Weave and Color with the Help of Evolution Algorithms (*Rolich*) 1033
Guo, Yueyang Applying a Generalized Predictive Control Theory to a Carding Autoleveler (*Chen, Hu*) 755
Gürsoy, Nevin Çiğdem 2.2′ Bipyridine Catalyzed Peracetic Acid Bleaching of Cotton (*Dayioğlu*) 297
Gutauskas, M. Behavior of Stretchable Textiles with Spatial Loading (*Strazdiené*) 530

Hall, M. E. Effects of Various Home Laundering Practices on the Dimensional Stability, Wrinkling, and Other Properties of Plain Woven Cotton Fabrics Part I: Experimental Overview, Reproducibility of Results, and Effect of Detergent (*Higgins, Anand, Holmes, Underly*) 357
Part II: Effect of Rinse Cycle Softener and Drying Method and of Tumble Sheet Softener and Tumble Drying Time (*Higgins, Anand, Holmes, Underly*) 407
Hamad, Wadood Y. Deformation Micromechanics in Regenerated Cellulosics Using Raman Spectroscopy—*Caveat Emptor* 934
Hananouchi, Tomohiko Tensile Properties of Silk Fibers Treated with Dimethylsulfoxide (*Kawahara, Kimura*) .. 289
Hao, Lougyun Ester Crosslinking Treatment for Reducing the Fibrillation Tendency of Lyocell Fibers (*Fang, Hu, Shao*) 1013
Hardin, Ian R. Chemical Structural Investigation of the Cotton Fiber Base and Associated Seed Coat: Fourier-Transform Infrared Mapping and Histochemistry (*Himmelsbach, Akin, Kim*) 281
Harlock, S. C. Developing a Polymeric Human Finger Sensor to Study the Frictional Properties of Textiles Part I: Artificial Finger Development (*Ramkumar, Wood, Fox*) 469
Part II: Experimental Results (*Ramkumar, Wood, Fox*) ... 606
Hashem, Mohamed Reaction Efficiency for Cellulose Cationization Using 3-Chloro-2-Hydroxypropyl Trimethyl Ammonium Chloride (*Hauser, Smith*) 1017
Wrinkle Recovery for Cellulosic Fabric by Means of Ionic Crosslinking (*Hauser, Smith*) 762
Hauser, Peter Reaction Efficiency for Cellulose Cationization Using 3-Chloro-2-Hydroxypropyl Trimethyl Ammonium Chloride (*Hashem, Smith*) 1017
Wrinkle Recovery for Cellulosic Fabric by Means of Ionic Crosslinking (*Hashem, Smith*) 762
Henriksson, Gunnar Effects of Acidic Media Pre-incubation on Flax Enzyme Retting Efficiency (*Zhang, Johansson, Pettersson, Akin, Foulk, Khalili*) 263
Higgins, L. Effects of Various Home Laundering Practices on the Dimensional Stability, Wrinkling, and Other Properties of Plain Woven Cotton Fabrics Part I: Experimental Overview, Reproducibility of Results, and Effect of Detergent (*Anand, Holmes, Hall, Underly*) 357
Part II: Effect of Rinse Cycle Softener and Drying Method and of Tumble Sheet Softener and Tumble Drying Time (*Anand, Holmes, Hall, Underly*) 407
Himmelsbach, David S. Chemical Structural Investigation of the Cotton Fiber Base and Associated Seed Coat: Fourier-Transform Infrared Mapping and Histochemistry (*Akin, Kim, Hardin*) 281
Modifying Dew-Retted Flax Fibers and Yarns with a Sec-

ondary Enzymatic Treatment (*Evans, Akin, Morrison, McAlister, Foulk*) 901
Höffele, S. Effect of Water Jet Pressure Profile and Initial Web Geometry on the Physical Properties of Composite Hydroentangled Fabrics (*Pourmohammadi, Russell*) 503
Holmes, D. A. Effects of Various Home Laundering Practices on the Dimensional Stability, Wrinkling, and Other Properties of Plain Woven Cotton Fabrics Part I: Experimental Overview, Reproducibility of Results, and Effect of Detergent (*Higgins, Anand, Hall, Underly*) 357
Part II: Effect of Rinse Cycle Softener and Drying Method and of Tumble Sheet Softener and Tumble Drying Time (*Higgins, Anand, Hall, Underly*) 407
Holmes, R. Simulating and Characterizing Water Flows Inside Hydroentangling Orifices (*Tafreshi, Pourdeyhimi, Shiffler*) 256
Texture Retention After Fabric-to-Fabric Abrasion (*Berkalp, Pourdeyhimi, Seyam*) 316
Hong, Cheol Jae Structural and Mechanical Properties of Woven Fabrics Employing Peirce's Model (*Jeon, Chun*) ... 929
Howley, Phyllis S. Effect of Purified *Trichoderma reesei* Cellulases on the Supramolecular Structure of Cotton Cellulose (*Rousselle, Bertoniere, Pere, Buchert*) 921
Hsing, Wen-Hao Forming Random Nonwoven Webs with the Static Method (*Kao*) 823
Hu, Jinlian Applying a Generalized Predictive Control Theory to a Carding Autoleveler (*Guo, Chen*) 755
Effect of Stitches on the Permeability of Interbundle Channels in Stitched Fabrics (*Liu, Shao*) 691
Influence of Processing Conditions on the Microstructure and Properties of Shape Memory Polyurethane Membranes (*Zeng, Yan*) 172
Hu, Xuechao Ester Crosslinking Treatment for Reducing the Fibrillation Tendency of Lyocell Fibers (*Fang, Hao, Shao*) 1013
Huang, Po-Hsiung Influence of Pretreatment on Physical Properties of Oxidized Rayon Fabrics (*Su, Peng, Wang*) 427
Huang, Xiubao Evaluating Fabric Wrinkle Degree with a Photometric Stereo Method (*Yang*) 451
Modeling Polymer Air Drawing in the Melt Blowing Nonwoven Process (*Chen*) 651
Modeling the Twist Level at the Peeling Point in Rotor Spinning (*Ba*) 390
Huang, Yanliu Antibacterial Properties of Cotton Fabrics Treated with Chitosan (*Zhang, Chen, Ji, Chen*) 1103
Huh, You Measuring Thickness Variations in Fiber Bundles with a Flying Laser Spot Scanning Method (*Suh*) 767
Hui, C. L. Theoretical Analysis of Tension and Pressure Decay of a Tubular Elastic Fabric (*Ng*) 268
Huson, M. G. Internal Structure of Mature and Immature Cotton Fibers Revealed by Scanning Probe Microscopy (*Maxwell, Gordon*) 1005
Structural Characterization and Properties of Lyocell Fibers After Fibrillation and Enzymatic Defibrillation Finishing Treatments (*Carrillo, Colom, Valldeperas, Evans, Church*) .. 1024
Hwang, Yoon-jiong Effect of Atmospheric Plasma Treatment on Desizing of PVA on Cotton (*Cai, Qiu, Zhang, McCord*) 670

Ibrahim, Sayed Theoretical Approach for Determining Pore Characteristics Between Fibers (*Neckář*) 611
Ito, Noriko Mechanical Properties of Knitted Fabrics Under Uniaxial and Strip Biaxial Extension as Estimated by a Linearizing Method (*Yamada, Matsuo*) 985

Järvinen, Kimmo Weathering of Polyaniline-Treated Polyester Filter Fabrics (*Puolakka*) 593
Jeon, Boong Soo Automatic Recognition of Woven Fabric Patterns by an Artificial Neural Network (*Bae, Suh*) 645
Structural and Mechanical Properties of Woven Fabrics Employing Peirce's Model (*Chun, Hong*) 929
Jeon, Han Yong Dependence of Sorption Properties of Fibrous Assemblies on Their Fabrication and Material Characteristics (*Kim, Lee, Lim*) 455
Ji, Jinmin Antibacterial Properties of Cotton Fabrics Treated with Chitosan (*Zhang, Chen, Huang, Chen*) 1103
Jiang, Jau-Yuan Drafting Force of Twin Spun Yarn (*Su, Liu*) . 815
Johansson, Gunnar Effects of Acidic Media Pre-incubation on Flax Enzyme Retting Efficiency (*Zhang, Pettersson, Akin, Foulk, Khalili, Henriksson*) 263
Julià, Luís Free Radical Formation in Wool Fibers Treated by Low Temperature Plasma (*Molina, Erra, Bertran*) 955
Jung, Jae Ho Elliptic Integral Solutions of the Large Deflection of a Fiber Cantilever with Circular Wavy Crimp (*Kang, Lee*) 47

Kalaoğlu, Fatma Influence of Varying Structural Parameters on Abrasion Characteristics of 50/50 Wool/Polyester Blended Fabrics (*Önder, Özipek*) 980
Influence of Varying Structural Parameters on the Properties of 50/50 Wool/Polyester Blended Fabrics (*Önder, Özipek*) 854
Kang, Tae Jin Elliptic Integral Solutions of the Large Deflection of a Fiber Cantilever with Circular Wavy Crimp (*Jung, Lee*) 47
Kao, Kuo-Ting Forming Random Nonwoven Webs with the Static Method (*Hsing*) 823
Katovic, Drago Influence of Microwaves on Nonformaldehyde DP Finished Dyed Cotton Fabrics (*Vukusic, Schramm*) 733
Kawahara, Yutaka Tensile Properties of Silk Fibers Treated with Dimethylsulfoxide (*Hananouchi, Kimura*) 289
Kawamura, H. Experiment and Analysis of Combined Heat and Water Vapor Transfer Through Clothes with Condensation (*Fukazawa, Tochihara, Tamura*) 774
Water Vapor Transport Through Textiles and Condensation in Clothes at High Altitudes—Combined Influence of Temperature and Pressure Simulating Altitude (*Fukazawa, Tochihara, Tamura*) 657
Kawamura, T. Yarn Property Control on a Twist Drafting Frame (*Takemura, Nakazawa*) 386
Kessler, R. W. Removing Pectin and Lignin During Chemical Processing of Hemp for Textile Applications (*Wang, Postle, Kessler*) 664
Kessler, W. Removing Pectin and Lignin During Chemical Processing of Hemp for Textile Applications (*Wang, Postle, Kessler*) 664
Khalili, Sadia Effects of Acidic Media Pre-incubation on Flax Enzyme Retting Efficiency (*Zhang, Johansson, Pettersson, Akin, Foulk, Henriksson*) 263
Kiekens, Paul Improving Quality and Reproducibility of the Indigo Dye Process by Measuring and Controlling Indigo and Sodium Dithionite Concentrations (*Westbroek, De Clerck, Gasana, Temmerman*) 1079
Kim, B. C. Effect of Cellulose Pulp Type on the Mercerizing Behavior and Physical Properties of Lyocell Fibers (*Chae, Choi, Oh*) 541
Kim, Chunjeong Characteristics of Rustling Sounds Created by the Structure of Polyester Warp Knitted Fabrics (*Cho, Yoon, Park*) 685
Kim, Han-Do Preparation and Properties of New Regenerated Cellulose Fibers (*Wang, Koo*) 998
Kim, Jae Pil Characteristics of Ultrasonic Dyeing on Poly(ethylene Terephthalate) (*Lee, Chung*) 751
Kim, Juhea Chemical Structural Investigation of the Cotton Fiber Base and Associated Seed Coat: Fourier-Transform Infrared Mapping and Histochemistry (*Himmelsbach, Akin, Hardin*) 281
Kim, Seong Hun Dependence of Sorption Properties of Fibrous Assemblies on Their Fabrication and Material Characteristics (*Lee, Lim, Jeon*) 455
Water Absorption and Mechanical Properties of Pile-Knit Fabrics Based on Conjugate N/P Microfibers (*Kim, Oh*) . 489
Kim, Seong Joo Water Absorption and Mechanical Properties of Pile-Knit Fabrics Based on Conjugate N/P Microfibers (*Kim, Oh*) 489
Kimura, Teruo Tensile Properties of Silk Fibers Treated with Dimethylsulfoxide (*Kawahara, Hananouchi*) 289
Kinari, Toshiyasu Changes in the Static and Dynamic Drape

Coefficients of Polyester Fabrics Through the Finishing Stages (*Matsudaira, Yang, Shintaku*) 59
Mechanics of Disk-Type False Twisting Part I: Yarn Path and Friction Force on a Single Disk (*Endo, Shintaku*) 139
Part II: Yarn Path and Yarn Inclination Angle in a Multiple-Disk Spindle Unit (*Endo, Shintaku*) 192
Kittinaovarat, S. Acrylic and Maleic Acids in Nonformaldehyde Durable Press Finishing of Cotton Fabric (*Udomkichdecha, Thanasoonthornroek, Potiyaraj, Likitbanakorn*) 401
Ko, Frank K. Net-Shape Knitting for Complex Composite Preforms (*van Vuure, Beevers*) 1
Komiyama, Jiro Lipid Detergency as Observed by the Quartz Microbalance Method (*Shimomura, Onozawa, Sehata*) 509
Koo, Ja-Gil Properties of Specialty Yarns Based on Raw and Dyed Cotton (*Park, An, Koo*) 26
Koo, Won-Mi Preparation and Properties of New Regenerated Cellulose Fibers (*Wang, Kim*) 998
Koo, Young-Seok Properties of Specialty Yarns Based on Raw and Dyed Cotton (*Koo, Park, An*) 26
Kreze, Tatjana Structural Characteristics of New and Conventional Regenerated Cellulosic Fibers (*Malej*) 675
Kuo, Chung-Feng Jeffrey A Back-Propagation Neural Network for Recognizing Fabric Defects (*Lee*) 147
Dynamic Control of a Cross-Lapper (*Chiang*) 64
Gray Relational Analysis for Recognizing Fabric Defects (*Su*) 461
Using a Neural Network to Identify Fabric Defects in Dynamic Cloth Inspection (*Lee, Tsai*) 238
Kwok, W. Y. Predicting the Degree of Toxicity of Effluent from Reactive Dye Mixtures (*Xin, Sin*) 625

Lam, H. L. I. Evaluating and Comparing the Physical Properties of Spliced Yarns by Regression and Neural Network Techniques (*Cheng*) 161
Landivar, Juan Effects of Growth Environment on Cotton Fiber Properties and Motes, Neps, and White Speck Frequency (*Davidonis, Fernandez*) 960
Lang, Jun Frictional Behavior of Synthetic Yarns During Processing (*Zhu, Pan*) 1071
Lankalapalli, Shrinivas Optimal Pick-up Locations for Transport and Handling of Limp Materials Part I: One-Dimensional Strips (*Eischen*) 787
Part II: Two-Dimensional Parts (*Eischen*) 867
Lee, Ching-Jeng A Back-Propagation Neural Network for Recognizing Fabric Defects (*Kuo*) 147
Using a Neural Network to Identify Fabric Defects in Dynamic Cloth Inspection (*Kuo, Tsai*) 238
Lee, Gordon Forming Shaped/Molded Structures by Integrating Meltblowing and Robotic Technologies (*Farer, Seyam, Ghosh, Batra, Grant*) 15
Lee, Jae Hyung Dependence of Sorption Properties of Fibrous Assemblies on Their Fabrication and Material Characteristics (*Kim, Lim, Jeon*) 455
Lee, Keun Wan Characteristics of Ultrasonic Dyeing on Poly(ethylene Terephthalate) (*Chung, Kim*) 751
Lee, Kyung Woo Elliptic Integral Solutions of the Large Deflection of a Fiber Cantilever with Circular Wavy Crimp (*Jung, Kang*) 47
Torsional and Bending Analysis of Fibers with a Generalized Cardioid-Shaped Cross Section 1085
Lee, P. W. H. Neural Network Predictions of Human Psychological Perceptions of Clothing Sensory Comfort (*Wong, Li, Yeung*) 31
Lei, Chen-Hwan Continuous Spun-Like Textured Yarn Processed with Various Plied Filaments and Different Stages of Emery Wheels 1046
Effect of Fiber Arrangement on the Mechanical Properties of Thermally Bonded Nonwoven Fabrics (*Lin, Xu, Lou*) 917
Li, Shiqi Cotton Fabric Inkjet Printing with Acid Dyes (*Yang*) 809
Li, Yi Neural Network Predictions of Human Psychological Perceptions of Clothing Sensory Comfort (*Wong, Yeung, Lee*) 31
Simulating Anisotropic Woven Fabric Deformation with a New Particle Model (*Dai, Zhang*) 1091
Simultaneous Heat and Moisture Transfer with Moisture Sorption, Condensation, and Capillary Liquid Diffusion in Porous Textiles (*Zhu*) 515
Lickfield, Gary C. Cellulose Treatment of Durable Press Finished Cotton Fabric: Effects on Fabric Strength, Abrasion Resistance, and Handle (*Yang, Zhou, Parachura*) 1057
Likitbanakorn, P. Acrylic and Maleic Acids in Nonformaldehyde Durable Press Finishing of Cotton Fabric (*Udomkichdecha, Kittinaovarat, Thanasoonthornroek, Potiyaraj*) ... 401
Lim, Dae Young Dependence of Sorption Properties of Fibrous Assemblies on Their Fabrication and Material Characteristics (*Kim, Lee, Jeon*) 455
Lin, Jeng-Jong A Genetic Algorithm for Searching Weaving Parameters for Woven Fabrics 105
Lin, Jia-Horng Effect of Fiber Arrangement on the Mechanical Properties of Thermally Bonded Nonwoven Fabrics (*Xu, Lei, Lou*) 917
Electrical Properties of Laminates Made from a New Fabric with PP/Stainless Steel Commingled Yarn (*Lou*) 322
Lin, Li-Huei Polyethylene Glycol/Polydimethylsiloxane Polyester Products as Leveling Agents in Nylon Dyeing (*Liu, Chen*) 583
Lin, Ming-Chou Optimum Finishing Process for PET Self-Extensible Filaments (*Su*) 485
Liu, Chih-Hsiang Drafting Force of Twin Spun Yarn (*Su, Jiang*) 815
Liu, Hsin-Jiant Polyethylene Glycol/Polydimethylsiloxane Polyester Products as Leveling Agents in Nylon Dyeing (*Lin, Chen*) 583
Liu, Yi Effect of Stitches on the Permeability of Interbundle Channels in Stitched Fabrics (*Hu, Shao*) 691
Lo, T. Y. An Energy Model of Plain Knitted Fabric (*Choi*) ... 739
Lou, Ching-Wen Effect of Fiber Arrangement on the Mechanical Properties of Thermally Bonded Nonwoven Fabrics (*Lin, Xu, Lei*) 917
Electrical Properties of Laminates Made from a New Fabric with PP/Stainless Steel Commingled Yarn (*Lin*) 322

Ma, B. Physical Properties of Surface Oxidized Wool (*Zheng, Sun*) 1100
Maillo, J. Thermal Analysis and Differential Solubility of Polyester Fibers and Yarns (*Manich, Bosch, Carilla, Ussman, Gaćen*) 333
Malej, Sonja Structural Characteristics of New and Conventional Regenerated Cellulosic Fibers (*Kreze*) 675
Manich, A. M. Thermal Analysis and Differential Solubility of Polyester Fibers and Yarns (*Bosch, Carilla, Ussman, Maillo, Gaćen*) 333
Mao, N. Modeling Permeability in Homogeneous Three-Dimensional Nonwoven Fabrics (*Russell*) 939
Marmarali, A. Bayazit Dimensional and Physical Properties of Cotton/Spandex Single Jersey Fabrics 11
Mather, R. R. Dynamic Wetting of Fibers Observed in an Environmental Scanning Electron Microscope (*Wei, Fotheringham, Yang*) 557
Mathieu, D. Polyester Fiber and Microfiber Structure by X-Rays and Viscoelasticimetry (*Diéval, Durand*) 200
Matsudaira, Mitsuo Changes in the Static and Dynamic Drape Coefficients of Polyester Fabrics Through the Finishing Stages (*Yang, Kinari, Shintaku*) 59
Features of Conventional Static and New Dynamic Drape Coefficients of Woven Silk Fabrics (*Yang*) 250
Matsuo, Masaru Mechanical Properties of Knitted Fabrics Under Uniaxial and Strip Biaxial Extension as Estimated by a Linearizing Method (*Yamada, Ito*) 985
Matsuo, Tatsuki Compression of Plain Knitted Fabrics Predicted from Yarn Properties and Fabric Geometry (*Soe, Takahashi, Nakajima*) 861
Maugans, R. Effects of Bond Roll Pattern and Temperature on the Microstructure and Properties of Polyethylene Nonwovens (*Smith, Ogale, Walsh, Patel*) 845
Maxwell, J. M. Internal Structure of Mature and Immature Cot-

ton Fibers Revealed by Scanning Probe Microscopy (*Gordon, Huson*) 1005
McAlister, David D. Modifying Dew-Retted Flax Fibers and Yarns with a Secondary Enzymatic Treatment (*Evans, Akin, Morrison, Himmelsbach, Foulk*) 901
McCord, Marian Effect of Atmospheric Plasma Treatment on Desizing of PVA on Cotton (*Cai, Qiu, Zhang, Hwang*) 670
Merati, Ali Akbar Limits of Hollow Yarn in Friction Spinning (*Okamura*) 496
Meyer, Ulrich Anaerobic Microbial Cultures in Cotton Desizing: Efficient Combination of Fabric and Wastewater Treatment (*Feitkenhauer*) 93
Mirjalili, S. A. Evaluating the Performance of a Thickness Tester to Measure Sliver/Roving Irregularity 620
Mitomo, Hiroshi Effect of Cooling Rate on Freezing of Wool-Water Mixtures (*Takahashi, Arai, Takigami*) 597
Enthalpies of Water in Freezing and Thawing of Wool-Water Mixtures (*Takahashi, Arai, Takigami*) 546
Molina, Ricardo Free Radical Formation in Wool Fibers Treated by Low Temperature Plasma (*Erra, Julià, Bertran*) 955
Mohammadi, M. Determining Effective Thermal Conductivity of Multilayered Nonwoven Fabrics (*Banks-Lee, Ghadimi*) 802
Determining Radiative Heat Transfer Through Heterogeneous Multilayer Nonwoven Materials (*Banks-Lee, Ghadimi*) 896
Moholkar, Vijayanand S. Acoustical Characteristics of Textile Materials (*Warmoeskerken*) 827
Morrison, W. Herbert III Modifying Dew-Retted Flax Fibers and Yarns with a Secondary Enzymatic Treatment (*Evans, Akin, Himmelsbach, McAlister, Foulk*) 901
Motamedian, Farid Modeling the Influence of Dye Distribution on the Perceived Color Depth of a Filament Array (*Broadbent*) 124
Mukherjee, S. K. An Infrared Technique for Rapid Analysis of Ramie-Acrylic Blends (*Dey, Bhattacharya*) 1062

Na, Youngjoo Variations in Sensibility to Fabric Frictional Sound by Fiber Type and Subject (*Cho*) 837
Nakajima, Masaru Compression of Plain Knitted Fabrics Predicted from Yarn Properties and Fabric Geometry (*Soe, Matsuo, Takahashi*) 861
Nakazawa, M. Relation Between Frictional Characteristics and the Strings' Ability to Make a Tennis Ball Spin (*Bao, Sakurai*) 570
Yarn Property Control on a Twist Drafting Frame (*Takemura, Kawamura*) 386
Neckář, Bohuslav Theoretical Approach for Determining Pore Characteristics Between Fibers (*Ibrahim*) 611
Nergis, Banu U. Properties of Plain Knitted Fabrics from Chenille Yarns (*Candan*) 1052
Ng, S. F. Theoretical Analysis of Tension and Pressure Decay of a Tubular Elastic Fabric (*Hui*) 268
Niwa, Masako Objective Hand Measurement of Nonwoven Fabrics Used for the Top Sheets of Disposable Diapers (*Yokura*) 705

Ogale, Amod A. Effects of Bond Roll Pattern and Temperature on the Microstructure and Properties of Polyethylene Nonwovens (*Smith, Maugans, Walsh, Patel*) 845
Hydrolytic Degradation of Nylon 66 Pile Carpet Fibers (*Cribbs*) 98
Oh, Ae-gyeong Bending Mechanics of Ply Yarns (*Park*) 473
Oh, Kyung Wha Water Absorption and Mechanical Properties of Pile-Knit Fabrics Based on Conjugate N/P Microfibers (*Kim, Kim*) 489
Oh, Y. S. Effect of Cellulose Pulp Type on the Mercerizing Behavior and Physical Properties of Lyocell Fibers (*Chae, Choi, Kim*) 541
Okamura, Masaaki Limits of Hollow Yarn in Friction Spinning (*Merati*) 496
Onal, Levent Contribution of Fabric Characteristics and Laundering to Shrinkage of Weft Knitted Fabrics (*Candan*) 187
Önder, Emel Influence of Varying Structural Parameters on Abrasion Characteristics of 50/50 Wool/Polyester Blended Fabrics (*Kalaoğlu, Özipek*) 980
Influence of Varying Structural Parameters on the Properties of 50/50 Wool/Polyester Blended Fabrics (*Kalaoğlu, Özipek*) 854
Onozawa, Haruko Lipid Detergency as Observed by the Quartz Microbalance Method (*Shimomura, Komiyama, Sehata*) 509
Ozcan, Gulay Effect of Gray Fabric Properties on Flame Resistance of Knitted Fabric (*Dayioğlu, Candan*) 883
Özipek, Bülent Influence of Varying Structural Parameters on Abrasion Characteristics of 50/50 Wool/Polyester Blended Fabrics (*Kalaoğlu, Önder*) 980
Influence of Varying Structural Parameters on the Properties of 50/50 Wool/Polyester Blended Fabrics (*Önder, Kalaoğlu*) 854

Palmer, Stuart Objective Classification of Fabric Pilling Based on the Two-Dimensional Discrete Wavelet Transform (*Wang*) 713
Pan, Ning Frictional Behavior of Synthetic Yarns During Processing (*Lang, Zhu*) 1071
Relationship Between Grab and Strip Tensile Strengths for Fabrics with Roughly Linear Mechanical Behavior 165
Parachura, Krishna Cellulose Treatment of Durable Press Finished Cotton Fabric: Effects on Fabric Strength, Abrasion Resistance, and Handle (*Yang, Zhou, Lickfield*) 1057
Park, Chan Hun Hydrophilic Treatment of Polyester Surfaces Using TiO_2 Photocatalytic Reactions (*Sawada, Sugimoto, Ueda*) 819
Park, Jung-whan Bending Mechanics of Ply Yarns (*Oh*) 473
Park, Jung-Woo Properties of Specialty Yarns Based on Raw and Dyed Cotton (*Koo, An, Koo*) 26
Park, Shinwoong Characteristics of Rustling Sounds Created by the Structure of Polyester Warp Knitted Fabrics (*Kim, Cho, Yoon*) 685
Pastore, C. Assessing Structural Changes in Knits During Processing (*Abou-iiana, Youssef, Gowayed*) 535
Patel, R. M. Effects of Bond Roll Pattern and Temperature on the Microstructure and Properties of Polyethylene Nonwovens (*Smith, Ogale, Maugans, Walsh*) 845
Peng, Chao-Chun Influence of Pretreatment on Physical Properties of Oxidized Rayon Fabrics (*Su, Huang, Wang*) 427
Pere, Jaakko Effect of Purified *Trichoderma reesei* Cellulases on the Supramolecular Structure of Cotton Cellulose (*Rousselle, Bertoniere, Howley, Buchert*) 921
Pettersson, Bert Effects of Acidic Media Pre-incubation on Flax Enzyme Retting Efficiency (*Zhang, Johansson, Akin, Foulk, Khalili, Henriksson*) 263
Phan, K.-H. Quantitative Fiber Mixture Analysis by Scanning Electron Microscopy Part V: Analyzing Pure Fiber Samples and Samples with Small Admixtures According to Test Method IWTO-58 (*Wortmann, Augustin*) 727
Part VI: Possibilities and Limitations of the Analysis of Binary Specialty Fiber/Wool Blends in View of Test Method IWTO-58 (*Wortmann, Augustin*) 781
Phillips, D. Evaluating Wool Shirt Comfort with Wear Trials and the Forearm Test (*Wang, Zhang, Postle*) 113
Porat, I. Novel Technology for 3D Nonwovens (*Gong, Dong*) 120
Postle, Ron Deformation Analysis of 3D Braided Structural Composites (*Tang*) 563
Evaluating Single Fiber and Fiber Bundle Tensile Curves (*Yu, Yan*) 875
Evaluating Wool Shirt Comfort with Wear Trials and the Forearm Test (*Wang, Zhang, Phillips*) 113
Removing Pectin and Lignin During Chemical Processing of Hemp for Textile Applications (*Wang, Kessler, Kessler*) 664
Potiyaraj, P. Acrylic and Maleic Acids in Nonformaldehyde Durable Press Finishing of Cotton Fabric (*Udomkichdecha, Kittinaovarat, Thanasoonthornroek, Likitbanakorn*) 401
Pourdeyhimi, B. Role of Baffles on Flow Fields Inside Wet-Lay

Mixing Tanks and Their Potential Influence on Fiber Dispersion (*Tafreshi*) 575
Simulating and Characterizing Water Flows Inside Hydroentangling Orifices (*Tafreshi, Holmes, Shiffler*) 256
Simulating the Flow Dynamics in Hydroentangling Nozzles: Effect of Cone Angle and Nozzle Aspect Ratio (*Tafreshi*) 700
Texture Retention After Fabric-to-Fabric Abrasion (*Berkalp, Seyam, Holmes*) 316
Pouresfandiari, Farshid New Method of Producing Loop Fancy Yarns on a Modified Open-End Rotor Spinning Frame ... 209
Pourmohammadi, A. Effect of Water Jet Pressure Profile and Initial Web Geometry on the Physical Properties of Composite Hydroentangled Fabrics (*Russell, Höffele*) 503
Price, John B. Measuring the Short Fiber Content of Cotton (*Cui, Calamari, Robert, Watson*) 891
Puolakka, Arja Weathering of Polyaniline-Treated Polyester Filter Fabrics (*Järvinen*) 593

Qiu, Hua Retro-Reflection of Round Fibers (*Zhang, Gao*) 965
Qiu, Yiping Effect of Atmospheric Plasma Treatment on Desizing of PVA on Cotton (*Cai, Zhang, Hwang, McCord*) ... 670
Using an Aqueous Epoxide in *Bombyx mori* Silk Fabric Finishing (*Cai*) 42

Ramaswamy, Gita N. One-Step Processing and Bleaching of Mechanically Separated Kenaf Fibers: Effects on Physical and Chemical Properties (*Wang*) 339
Ramkumar, S. S. Developing a Polymeric Human Finger Sensor to Study the Frictional Properties of Textiles Part I: Artificial Finger Development (*Wood, Fox, Harlock*) ... 469
Part II: Experimental Results (*Wood, Fox, Harlock*) 606
Surface and Mechanical Property Measurements of H1 Technology Needle-Punched Nonwovens (*Roedel*) 381
Ravirala, N. Effects of Mold Porosity on Fiber Distribution in a 3D Nonwoven Process (*Gong*) 588
Renner, Marc Experimental Study of a High Drafting System in Cotton Spinning (*Ben Hassen, Sakli, Sinoimeri*) 55
Tribologic Phenomena During Wear of Fibrous Structures (*Fontaine, Bueno*) 631
Reicher, J. "Mercerization" of Cotton with Tetramethylammonium Hydroxide (*Tóth, Borsa, Sallay, Sajó, Tanczos*) 273
Robert, Kearny Q. Measuring the Short Fiber Content of Cotton (*Cui, Calamari, Price, Watson*) 891
Roedel, C. Surface and Mechanical Property Measurements of H1 Technology Needle-Punched Nonwovens (*Ramkumar*) 381
Rohrer, Christian Fiber Friction in Yarn—A Fundamental Property of Fibers (*Campos, Bechtold*) 721
Rolich, T. Matching Weave and Color with the Help of Evolution Algorithms (*Grundler*) 1033
Rossettos, John N. Effect of Slipping Yarn Friction on Stress Concentration Near Yarn Breaks in Woven Fabrics (*Godfrey*) 292
Rousselle, Marie-Alice Effect of Purified *Trichoderma reesei* Cellulases on the Supramolecular Structure of Cotton Cellulose (*Bertoniere, Howley, Pere, Buchert*) 921
Russell, S. J. Effect of Water Jet Pressure Profile and Initial Web Geometry on the Physical Properties of Composite Hydroentangled Fabrics (*Pourmohammadi, Höffele*) 503
Modeling Permeability in Homogeneous Three-Dimensional Nonwoven Fabrics (*Mao*) 939

Sajó, I. "Mercerization" of Cotton with Tetramethylammonium Hydroxide (*Tóth, Borsa, Reicher, Sallay, Tanczos*) 273
Sakli, F. Experimental Study of a High Drafting System in Cotton Spinning (*Ben Hassen, Sinoimeri, Renner*) 55
Sakurai, M. Relation Between Frictional Characteristics and the Strings' Ability to Make a Tennis Ball Spin (*Bao, Nakazawa*) 570
Sallay, P. "Mercerization" of Cotton with Tetramethylammonium Hydroxide (*Tóth, Borsa, Reicher, Sajó, Tanczos*) 273
Sarna, Ewa Changes in the Superstructure and Surface Morphology of Cotton During Spinning (*Włochowicz*) 216
Sasser, Preston E. Estimating Single Cotton Fiber Tensile Properties from the Load-Elongation Curves of Slack Bundles (*Cui, Suh*) 1066
Sawada, Kazuya Hydrophilic Treatment of Polyester Surfaces Using TiO_2 Photocatalytic Reactions (*Sugimoto, Ueda, Park*) 819
Schramm, Christian Influence of Microwaves on Nonformaldehyde DP Finished Dyed Cotton Fabrics (*Vukusic, Katovic*) 733
Schutz, Howard G. Predicting the Handle and Comfort of Military Clothing Fabrics from Sensory and Instrumental Data: Development and Application of New Psychophysical Methods (*Cardello, Winterhalter*) 221
Sehata, Akiko Lipid Detergency as Observed by the Quartz Microbalance Method (*Shimomura, Onozawa, Komiyama*) 509
Seyam, Abdelfattah M. Forming Shaped/Molded Structures by Integrating Meltblowing and Robotic Technologies (*Farer, Ghosh, Batra, Grant, Lee*) 15
Meltblown Structures Formed by a Robotic and Meltblowing Integrated System: Impact of Process Parameters on Pore Size (*Velu, Ghosh*) 971
Texture Retention After Fabric-to-Fabric Abrasion (*Berkalp, Pourdeyhimi, Holmes*) 316
Shao, Huili Ester Crosslinking Treatment for Reducing the Fibrillation Tendency of Lyocell Fibers (*Fang, Hao, Hu*) 1013
Shao, Xueming Effect of Stitches on the Permeability of Interbundle Channels in Stitched Fabrics (*Hu, Liu*) 691
Shiffler, D. Simulating and Characterizing Water Flows Inside Hydroentangling Orifices (*Tafreshi, Pourdeyhimi, Holmes*) 256
Shimomura, Kumiko Lipid Detergency as Observed by the Quartz Microbalance Method (*Onozawa, Komiyama, Sehata*) 509
Shintaku, Sukenori Changes in the Static and Dynamic Drape Coefficients of Polyester Fabrics Through the Finishing Stages (*Matsudaira, Yang, Kinari*) 59
Mechanics of Disk-Type False Twisting Part I: Yarn Path and Friction Force on a Single Disk (*Endo, Kinari*) 139
Part II: Yarn Path and Yarn Inclination Angle in a Multiple-Disk Spindle Unit (*Endo, Kinari*) 192
Shockey, D. A. Slow Penetration of Ballistic Fabrics (*Erlich, Simons*) 179
Simons, J. W. Slow Penetration of Ballistic Fabrics (*Erlich, Shockey*) 179
Sin, K. M. Predicting the Degree of Toxicity of Effluent from Reactive Dye Mixtures (*Kwok, Xin*) 625
Sinoimeri, A. Experimental Study of a High Drafting System in Cotton Spinning (*Ben Hassen, Sakli, Renner*) 55
Smith, Brent Reaction Efficiency for Cellulose Cationization Using 3-Chloro-2-Hydroxypropyl Trimethyl Ammonium Chloride (*Hashem, Hauser*) 1017
Wrinkle Recovery for Cellulosic Fabric by Means of Ionic Crosslinking (*Hashem, Hauser*) 762
Smith, K. Effects of Bond Roll Pattern and Temperature on the Microstructure and Properties of Polyethylene Nonwovens (*Ogale, Maugans, Walsh, Patel*) 845
Soe, Aung Kyaw Compression of Plain Knitted Fabrics Predicted from Yarn Properties and Fabric Geometry (*Matsuo, Takahashi, Nakajima*) 861
Stadnicki, Jacek Practical Engineering Calculations for Working Cylinders on Carding Machines (*Wróbel*) 525
Strazdiené, E. Behavior of Stretchable Textiles with Spatial Loading (*Gutauskas*) 530
Su, Ching-Iuan Drafting Force of Twin Spun Yarn (*Liu, Jiang*) 815
Influence of Pretreatment on Physical Properties of Oxidized Rayon Fabrics (*Peng, Huang, Wang*) 427
Optimum Finishing Process for PET Self-Extensible Filaments (*Lin*) 485
Su, Te-Li Gray Relational Analysis for Recognizing Fabric Defects (*Kuo*) 461
Sugimoto, Masakatsu Hydrophilic Treatment of Polyester Surfaces Using TiO_2 Photocatalytic Reactions (*Sawada, Ueda, Park*) 819

Suh, Moon W. Automatic Recognition of Woven Fabric Patterns by an Artificial Neural Network (*Jeon, Bae*) 645
Estimating Single Cotton Fiber Tensile Properties from the Load-Elongation Curves of Slack Bundles (*Cui, Sasser*) 1066
Measuring Thickness Variations in Fiber Bundles with a Flying Laser Spot Scanning Method (*Huh*) 767
Sukigara, S. Compression and Thermal Properties of Recycled Fiber Assemblies Made from Industrial Waste of Sweater Products (*Yokura, Fujimoto*) 310
Sun, R. Physical Properties of Surface Oxidized Wool (*Ma, Zheng*) 1100

Tafreshi, H. Vahedi Role of Baffles on Flow Fields Inside Wet-Lay Mixing Tanks and Their Potential Influence on Fiber Dispersion (*Pourdeyhimi*) 575
Simulating and Characterizing Water Flows Inside Hydroentangling Orifices (*Pourdeyhimi, Holmes, Shiffler*) 256
Simulating the Flow Dynamics in Hydroentangling Nozzles: Effect of Cone Angle and Nozzle Aspect Ratio (*Pourdeyhimi*) 700
Takahashi, Hidenori Effect of Cooling Rate on Freezing of Wool-Water Mixtures (*Mitomo, Arai, Takigami*) 597
Enthalpies of Water in Freezing and Thawing of Wool-Water Mixtures (*Mitomo, Arai, Takigami*) 546
Takahashi, Masaoki Compression of Plain Knitted Fabrics Predicted from Yarn Properties and Fabric Geometry (*Soe, Matsuo, Nakajima*) 861
Takemura, H. Yarn Property Control on a Twist Drafting Frame (*Nakazawa, Kawamura*) 386
Takigami, Shoji Effect of Cooling Rate on Freezing of Wool-Water Mixtures (*Takahashi, Mitomo, Arai*) 597
Enthalpies of Water in Freezing and Thawing of Wool-Water Mixtures (*Takahashi, Mitomo, Arai*) 546
Tamura, T. Experiment and Analysis of Combined Heat and Water Vapor Transfer Through Clothes with Condensation (*Fukazawa, Kawamura, Tochihara*) 774
Water Vapor Transport Through Textiles and Condensation in Clothes at High Altitudes—Combined Influence of Temperature and Pressure Simulating Altitude (*Fukazawa, Kawamura, Tochihara*) 657
Tanczos, I. "Mercerization" of Cotton with Tetramethylammonium Hydroxide (*Tóth, Borsa, Reicher, Sallay, Sajó*) ... 273
Tang, Zheng-Xue Deformation Analysis of 3D Braided Structural Composites (*Postle*) 563
Effect of Yarn Hairiness on Energy Consumption in Rotating a Ring-Spun Yarn Package (*Chang, Wang*) 949
Tao, Xiao Ming Integrated Approach to Dynamic Analysis of Yarn Twist Distribution in Rotor Spinning Part I: Steady State (*Xu*) 79
Tayyar, Ayse Ebru Engineering, Manufacturing, and Measuring 3D Domed Woven Fabrics (*Chen*) 375
Temmerman, Eduard Improving Quality and Reproducibility of the Indigo Dye Process by Measuring and Controlling Indigo and Sodium Dithionite Concentrations (*Westbroek, De Clerck, Kiekens, Gasana*) 1079
Termonia, Yves Lattice Model for the Drape and Bending Properties of Nonwoven Fabrics 74
Thanasoonthornroek, U. Acrylic and Maleic Acids in Nonformaldehyde Durable Press Finishing of Cotton Fabric (*Udomkichdecha, Kittinaovarat, Potiyaraj, Likitbanakorn*) 401
Tochihara, Y. Experiment and Analysis of Combined Heat and Water Vapor Transfer Through Clothes with Condensation (*Fukazawa, Kawamura, Tamura*) 774
Water Vapor Transport Through Textiles and Condensation in Clothes at High Altitudes—Combined Influence of Temperature and Pressure Simulating Altitude (*Fukazawa, Kawamura, Tamura*) 657
Tóth, T. "Mercerization" of Cotton with Tetramethylammonium Hydroxide (*Borsa, Reicher, Sallay, Sajó, Tanczos*) 273
Tsai, Cheng-Chih Using a Neural Network to Identify Fabric Defects in Dynamic Cloth Inspection (*Kuo, Lee*) 238

Udomkichdecha, W. Acrylic and Maleic Acids in Nonformaldehyde Durable Press Finishing of Cotton Fabric (*Kittinaovarat, Thanasoonthornroek, Potiyaraj, Likitbanakorn*) 401
Ueda, Mitsuo Hydrophilic Treatment of Polyester Surfaces Using TiO_2 Photocatalytic Reactions (*Sawada, Sugimoto, Park*) 819
Underly, K. Effects of Various Home Laundering Practices on the Dimensional Stability, Wrinkling, and Other Properties of Plain Woven Cotton Fabrics Part I: Experimental Overview, Reproducibility of Results, and Effect of Detergent (*Higgins, Anand, Holmes, Hall*) 357
Part II: Effect of Rinse Cycle Softener and Drying Method and of Tumble Sheet Softener and Tumble Drying Time (*Higgins, Anand, Holmes, Hall*) 407
Ussman, M. H. Thermal Analysis and Differential Solubility of Polyester Fibers and Yarns (*Manich, Bosch, Carilla, Maillo, Gaćen*) 333

Valldeperas, J. Structural Characterization and Properties of Lyocell Fibers After Fibrillation and Enzymatic Defibrillation Finishing Treatments (*Carrillo, Colom, Evans, Huson, Church*) 1024
van Vuure, Aart W. Net-Shape Knitting for Complex Composite Preforms (*Ko, Beevers*) 1
Velu, Yogeshwar K. Meltblown Structures Formed by a Robotic and Meltblowing Integrated System: Impact of Process Parameters on Pore Size (*Ghosh, Seyam*) 971
Versteeg, H. K. Effect of Nozzle Geometry on the Flow Characteristics of Hydroentangling Jets (*Ghassemieh, Acar*) 444
Vukusic, Sandra Bischof Influence of Microwaves on Nonformaldehyde DP Finished Dyed Cotton Fabrics (*Katovic, Schramm*) 733

Walsh, L. K. Effects of Bond Roll Pattern and Temperature on the Microstructure and Properties of Polyethylene Nonwovens (*Smith, Ogale, Maugans, Patel*) 845
Wan, Yabo Fiber Migration and Twist Radial Distribution in Rotor Spun Yarns (*Zhang, Chen*) 945
Wang, Chi-Hsian Influence of Pretreatment on Physical Properties of Oxidized Rayon Fabrics (*Su, Peng, Huang*) ... 427
Wang, Chyung-Chyung Physical Properties of Nomex Yarns Pretreated with Various Amines (*Chen*) 395
Wang, Fumei Properties of Wool/PET Composite Yarns (*Wu, Wang*) 305
Wang, G. Evaluating Wool Shirt Comfort with Wear Trials and the Forearm Test (*Zhang, Postle, Phillips*) 113
Wang, H. M. Removing Pectin and Lignin During Chemical Processing of Hemp for Textile Applications (*Postle, Kessler, Kessler*) 664
Wang, Jinhua One-Step Processing and Bleaching of Mechanically Separated Kenaf Fibers: Effects on Physical and Chemical Properties (*Ramaswamy*) 339
Wang, Shanyuan Properties of Wool/PET Composite Yarns (*Wu, Wang*) 305
Wang, Tzy-Jian Crosslinking of Cotton Cellulose in the Presence of Alpha-Amino Acids Part I: Physical Properties and Agent Distribution (*Chen, Chen*) 797
Wang, Xungai Comparing the Hairiness of Solospun and Ring Spun Worsted Yarns (*Chang*) 640
Effect of Yarn Hairiness on Energy Consumption in Rotating a Ring-Spun Yarn Package (*Chang, Tang*) 949
Objective Classification of Fabric Pilling Based on the Two-Dimensional Discrete Wavelet Transform (*Palmer*) 713
Reducing Yarn Hairiness with a Modified Yarn Path in Worsted Ring Spinning (*Chang*) 327
Wang, Young-Soo Preparation and Properties of New Regenerated Cellulose Fibers (*Koo, Kim*) 998
Warmoeskerken, Marijn M. C. G. Acoustical Characteristics of Textile Materials (*Moholkar*) 827
Flow Resistance of Textile Materials Part I: Monofilament Fabrics (*Gooijer, Wassink*) 437
Part II: Multifilament Fabrics (*Gooijer, Wassink*) 480

Wassink, J. Groot Flow Resistance of Textile Materials Part I: Monofilament Fabrics (*Gooijer, Warmoeskerken*) 437
Part II: Multifilament Fabrics (*Gooijer, Warmoeskerken*) ... 480
Watson, Michael D. Measuring the Short Fiber Content of Cotton (*Cui, Calamari, Robert, Price*) 891
Wei, Q. F. Dynamic Wetting of Fibers Observed in an Environmental Scanning Electron Microscope (*Mather, Fotheringham, Yang*) 557
Westbroek, Philippe Improving Quality and Reproducibility of the Indigo Dye Process by Measuring and Controlling Indigo and Sodium Dithionite Concentrations (*De Clerck, Kiekens, Gasana, Temmerman*) 1079
Winterhalter, Carole Predicting the Handle and Comfort of Military Clothing Fabrics from Sensory and Instrumental Data: Development and Application of New Psychophysical Methods (*Cardello, Schutz*) 221
Włochowicz, Andrzej Changes in the Superstructure and Surface Morphology of Cotton During Spinning (*Sarna*) 216
Wong, A. S. W. Neural Network Predictions of Human Psychological Perceptions of Clothing Sensory Comfort (*Li, Yeung, Lee*) 31
Wood, D. J. Developing a Polymeric Human Finger Sensor to Study the Frictional Properties of Textiles Part I: Artificial Finger Development (*Ramkumar, Fox, Harlock*) 469
Part II: Experimental Results (*Ramkumar, Fox, Harlock*) 606
Wortmann, F.-J. Quantitative Fiber Mixture Analysis by Scanning Electron Microscopy Part V: Analyzing Pure Fiber Samples and Samples with Small Admixtures According to Test Method IWTO-58 (*Phan, Augustin*) 727
Part VI: Possibilities and Limitations of the Analysis of Binary Specialty Fiber/Wool Blends in View of Test Method IWTO-58 (*Phan, Augustin*) 781
Wróbel, Ireneusz Practical Engineering Calculations for Working Cylinders on Carding Machines (*Stadnicki*) 525
Wu, Xiongying Properties of Wool/PET Composite Yarns (*Wang, Wang*) 305

Xin, J. H. Predicting the Degree of Toxicity of Effluent from Reactive Dye Mixtures (*Kwok, Sin*) 625
Xu, Bin Gang Integrated Approach to Dynamic Analysis of Yarn Twist Distribution in Rotor Spinning Part I: Steady State (*Tao*) 79
Xu, Weilin Effect of Crosslinking Treatment on the Crystallinity, Crystallite Size, and Strength of Cotton Fibers 433
Xu, Zhan-Hong Effect of Fiber Arrangement on the Mechanical Properties of Thermally Bonded Nonwoven Fabrics (*Lin, Lei, Lou*) 917

Yamada, Tomoko Mechanical Properties of Knitted Fabrics Under Uniaxial and Strip Biaxial Extension as Estimated by a Linearizing Method (*Ito, Matsuo*) 985
Yan, Haojing Backscattering of Light in Determining Fiber Orientation Distribution and Area Density of Nonwoven Fabrics (*Zhou, Chu*) 131
Evaluating Single Fiber and Fiber Bundle Tensile Curves (*Yu, Postle*) 875
Influence of Processing Conditions on the Microstructure and Properties of Shape Memory Polyurethane Membranes (*Hu, Zeng*) 172
Yang, Charles Q. Cellulose Treatment of Durable Press Finished Cotton Fabric: Effects on Fabric Strength, Abrasion Resistance, and Handle (*Zhou, Lickfield, Parachura*) ... 1057
Yang, Minzhang Changes in the Static and Dynamic Drape Coefficients of Polyester Fabrics Through the Finishing Stages (*Matsudaira, Kinari, Shintaku*) 59
Features of Conventional Static and New Dynamic Drape Coefficients of Woven Silk Fabrics (*Matsudaira*) 250
Yang, R. D. Dynamic Wetting of Fibers Observed in an Environmental Scanning Electron Microscope (*Wei, Mather, Fotheringham*) 557
Yang, Yiqi Cotton Fabric Inkjet Printing with Acid Dyes (*Li*) 809
Yang, X. B. Evaluating Fabric Wrinkle Degree with a Photometric Stereo Method (*Huang*) 451
Yeung, K. W. Effects of Yarn and Knitting Parameters on the Spirality of Plain Knitted Wool Fabrics (*Chen, Au, Yuen*) 421
Tensile Strength Loss of Mercerized and Crosslinked Ramie Fabric (*Zhou, Yuen, Zhou*) 367
Yeung, P. K. W. Neural Network Predictions of Human Psychological Perceptions of Clothing Sensory Comfort (*Wong, Li, Lee*) 31
Yokura, Hiroko Compression and Thermal Properties of Recycled Fiber Assemblies Made from Industrial Waste of Sweater Products (*Sukigara, Fujimoto*) 310
Objective Hand Measurement of Nonwoven Fabrics Used for the Top Sheets of Disposable Diapers (*Niwa*) 705
Yoon, Hyesin Characteristics of Rustling Sounds Created by the Structure of Polyester Warp Knitted Fabrics (*Kim, Cho, Park*) 685
Young, R. J. Reply to "Deformation Micromechanics in Regenerated Cellulosics Using Raman Spectroscopy—*Caveat Emptor*" (*Eichhorn*) 936
Youssef, S. Assessing Structural Changes in Knits During Processing (*Abou-iiana, Pastore, Gowayed*) 535
Yu, C. A Study of Compact Spun Yarns (*Cheng*) 345
Yu, C. W. Numerical Simulation of Air Flow in the Nozzle of an Air-Jet Spinning Machine (*Zeng*) 350
Yu, Weidong Evaluating Single Fiber and Fiber Bundle Tensile Curves (*Yan, Postle*) 875
Yuen, C. W. M. Effects of Yarn and Knitting Parameters on the Spirality of Plain Knitted Wool Fabrics (*Chen, Au, Yeung*) 421
Tensile Strength Loss of Mercerized and Crosslinked Ramie Fabric (*Zhou, Yeung, Zhou*) 367

Zeng, Y. C. Numerical Simulation of Air Flow in the Nozzle of an Air-Jet Spinning Machine (*Yu*) 350
Zhang, Chuyang Effect of Atmospheric Plasma Treatment on Desizing of PVA on Cotton (*Cai, Qiu, Hwang, McCord*) 670
Zhang, Haiquan Retro-Reflection of Round Fibers (*Gao, Qiu*) 965
Zhang, Hongwei Fiber Migration and Twist Radial Distribution in Rotor Spun Yarns (*Chen, Wan*) 945
Zhang, Jing Effects of Acidic Media Pre-incubation on Flax Enzyme Retting Efficiency (*Johansson, Pettersson, Akin, Foulk, Khalili, Henriksson*) 263
Zhang, W. Clothing Thermal Insulation During Sweating (*Chen, Fan*) 152
Evaluating Wool Shirt Comfort with Wear Trials and the Forearm Test (*Wang, Postle, Phillips*) 113
Zhang, Xin Simulating Anisotropic Woven Fabric Deformation with a New Particle Model (*Dai, Li*) 1091
Zhang, Zitao Antibacterial Properties of Cotton Fabrics Treated with Chitosan (*Chen, Ji, Huang, Chen*) 1103
Zhao, Fan Camera-Based Measurement of Textile Card Web Density (*Dorrity, Carr*) 69
Zeng, Y. M. Influence of Processing Conditions on the Microstructure and Properties of Shape Memory Polyurethane Membranes (*Hu, Yan*) 172
Zheng, C. Physical Properties of Surface Oxidized Wool (*Ma, Sun*) 1100
Zhou, L. M. Tensile Strength Loss of Mercerized and Crosslinked Ramie Fabric (*Yeung, Yuen, Zhou*) 367
Zhou, S. Backscattering of Light in Determining Fiber Orientation Distribution and Area Density of Nonwoven Fabrics (*Chu, Yan*) 131
Zhou, Wenlong Cellulose Treatment of Durable Press Finished Cotton Fabric: Effects on Fabric Strength, Abrasion Resistance, and Handle (*Yang, Lickfield, Parachura*) 1057
Zhou, X. Tensile Strength Loss of Mercerized and Crosslinked Ramie Fabric (*Zhou, Yeung, Yuen*) 367
Zhu, Qingyong Simultaneous Heat and Moisture Transfer with Moisture Sorption, Condensation, and Capillary Liquid Diffusion in Porous Textiles (*Li*) 515
Zhu, Sukang Frictional Behavior of Synthetic Yarns During Processing (*Lang, Pan*) 1071

SUBJECT INDEX

Abrasion
- **abrasion resistant silk fibers:** tensile properties of silk treated with dimethylsulfoxide *Kawahara, Hananouchi, Kimura* ... 289
- **enzyme washing of cotton:** effects on strength, abrasion resistance, handle *Yang, Zhou, Lickfield, Parachura* ... 1057
- **fabric-to-fabric:** texture retention after; gray scale image analysis *Berkalp, Pourdeyhimi, Seyam, Holmes* ... 316
- **of wool/polyester blends:** influence of varying structural parameters on abrasion *Kalaoğlu, Önder, Özipek* ... 980
- **sanded microfiber fabrics:** tribologic phenomena during wear of fibrous structures *Fontaine, Bueno, Renner* ... 631

Acoustics
- **acoustic impedence of textiles:** precision woven monofilament polyamides *Moholkar, Warmoeskerken* ... 827
- **fabric frictional sounds:** variations in sensibility to sound by fiber type and subject *Na, Cho* ... 837
- **rustling sounds of polyester knits:** created by structure of warp knits *Kim, Cho, Yoon, Park* ... 685

Acrylics
- **for DP finishing of cotton:** acrylic and maleic acids in nonformaldehyde finishing *Udomkichdecha, Kittinaovarat, Thanasoonthornroek, Poliyaraj, Likitbanakorn* ... 401
- **ramie-acrylic blend analysis:** simple IR technique *Dey, Mukherjee, Bhattacharya* ... 1062

Anisotropy
- **of nonwovens:** effect of fiber arrangement on mechanical properties *Lin, Xu, Lei, Lou* ... 917
- **of three-dimensional nonwovens:** modeling permeability in homogeneous fabrics *Mao, Russell* ... 939
- **woven fabric deformation:** simulating with new particle model *Dai, Li, Zhang* ... 1091

Antibacterial Fabrics
- **chitosan treated cotton:** optimal chitosan concentrations *Zhang, Chen, Ji, Huang, Chen* ... 1103

Aramids
- **pretreating Nomex:** physical properties of yarns treated with amines *Wang, Chen* ... 395

Ballistics
- **aircraft panels:** ballistic fabrics for deflecting engine debris *Erlich, Schockey, Simons* ... 179

Bast Fibers
- **bleaching of kenaf:** one-step bleaching and processing; effects on properties *Wang, Ramaswamy* ... 339
- **hemp processing:** pectin and lignin removal by chemical processing *Wang, Postle, Kessler, Kessler* ... 664
- **ramie-acrylic blend analysis:** simple IR technique *Dey, Mukherjee, Bhattacharya* ... 1062

Bending
- **bending mechanics of ply yarns:** coercive couple due to friction between strands during deformation *Park, Oh* 473
- **nonwoven drape and bending:** lattice model *Termonia* 74
- **of cardioid-shaped fibers:** torsional and bending analysis *Lee* ... 1085

Biodegradation
- **microbial desizing of cotton:** combined fabric and wastewater treatment *Feitkenhauer, Meyer* ... 93

Bleaching
- **cotton fabric bleaching:** 2.2 bipyridine catalyzed peracetic acid *Gursoy, Dayioglu* ... 297
- **of kenaf fibers:** one-step bleaching and processing; effects on properties *Wang, Ramaswamy* ... 339

Bonding
- **for 3D nonwovens:** novel technology of hot through-air bonding *Gong, Dong, Porat* ... 120
- **of polyethlene nonwovens:** effects of bond roll pattern and temperature on microstructure and properties *Smith, Ogale, Maugans, Walsh, Patel* ... 845
- **random nonwoven webs:** static method for thermally bonded fabrics *Hsing, Kao* ... 823
- **thermally bonded nonwovens:** effect of fiber arrangement on mechanical properties *Lin, Xu, Lei, Lou* ... 917

Braiding
- **3D braided composites:** deformation analysis; nonlinear finite element technique *Tang, Postle* ... 563

Capillarity
- **heat and moisture transfer:** sorption, condensation, capillary liquid diffusion *Li, Zhu* ... 515
- **porosity of fiber assemblies:** theoretical approach for determining pore characteristics *Neckář, Ibrahim* ... 611
- **sorption of fibrous assemblies:** dependence on fabrication and material characteristics *Kim, Lee, Lim, Jeon* ... 455

Carbon Fibers
- **complex composite preforms:** net shape knitting *van Vuure, Ko, Beevers* ... 1

Carbonization
- **activated charcoal rayon:** influence of pretreatment on oxidized properties *Su, Peng, Huang, Wang* ... 427

Carding
- **card web density:** camera measurments *Dorrity, Zhao, Carr* ... 69
- **carding autoleveler:** generalized predictive control theory *Guo, Chen, Hu* ... 755
- **random nonwoven webs:** static method for thermally bonded fabrics *Hsing, Kao* ... 823
- **working cylinders on carders:** practrical engineering calculations for *Stadniki, Wróbel* ... 525

Carpets
- **sculpturing nylon 66 pile:** hydrolytic degradation *Cribbs, Ogale* ... 98

Cashmere
- **fiber mixture analysis:** analyzing pure wool and admixtures of cashmere *Wortmann, Phan, Augustin* ... 727
- **fiber mixture analysis:** possibilities and limitations of technique for wool/cashmere mixtures *Wortmann, Phan, Augustin* ... 781

Catalysis
- **hydrophilic treatment of polyester:** photocatalytic reactions *Sawada, Sugimoto, Ueda, Park* ... 819

Cationization
- **of cellulosics:** reaction efficiency with ammonium chloride treatment *Hashem, Hauser, Smith* ... 1017

Cellulosics
- **cationizing of:** reaction efficiency with ammonium chloride treatment *Hashem, Hauser, Smith* ... 1017
- **deformation micromechanics of:** regenerated cellulosics; Raman spectroscopy *Hamad* ... 934
- **deformation micromechanics of:** regenerated cellulosics; Raman spectroscopy *Eichhorn, Young* ... 936
- **enzymatic defibrillation of lyocell:** structural characteristics and properties *Carrillo, Colom, Valldeperas, Evans, Huson, Church* ... 1024
- **ester crosslinking for lyocell fibers:** reduces fibrillation tendency *Fang, Hao, Hu, Shao* ... 1005
- **knit flammability:** effect of gray fabric properties on flame resistance *Ozcan, Dayioğlu, Candan* ... 883
- **lyocell fibers:** effect of pulp type on mercerizing and physical properties *Chae, Choi, Kim, Oh* ... 541
- **new regenerated fibers:** preparation and properties of sea animal pulp *Wang, Koo, Kim* ... 998
- **phosphorylated:** phosphonic acid derivatives for flameproofing *Blanchard, Graves* ... 22
- **regenerated lyocell fibers:** structural characteristics of new and conventional fibers *Kreze, Malej* ... 675
- **twin spun lyocell spinning:** drafting force for lyocell twin roving *Su, Liu, Jiang* ... 815
- **wrinkle recovery of:** ionic crosslinking; highly cationic chitosan *Hashem, Hauser, Smith* ... 762

Ceramic Fibers
multilayer nonwoven fabrics: combined thermal conductive, convective, radiative heat transfer through *Mohammadi, Banks-Lee, Ghadimi* ... 896
thermal conductivity of: multilayered glass and ceramic fabrics *Mohammadi, Banks-Lee, Ghadimi* ... 802
Chenille
jersey chenille knits: component yarn count, pile length, cleaning method *Nergis, Candan* ... 1052
Chitin
chitosan treated cotton fabric: antibacterial properties *Zhang, Chen, Ji, Huang, Chen* ... 1103
Clothing
comfort of: combined heat and water vapor transport through clothes with condensation *Fukazawa, Kawamura, Tochihara, Tamura* ... 774
condensation in clothes at high altitudes: combined influence of temperature and pressure *Fukazawa, Kawamura, Tochihara, Tamura* ... 657
fabric frictional sounds: variations in sensibility to sound by fiber type and subject *Na, Cho* ... 837
heat transfer through: thermal insulation during sweating *Chen, Fan, Zhang* ... 152
military clothing comfort: predicting from sensory and instrument data; new methods *Cardello, Winterhalter, Schutz* ... 221
predicting sensory comfort: neural networks for human psychological perceptions *Wong, Li, Yeung, Lee* ... 31
pressure garments: tension and pressure decay in tubular garments *Hui, Ng* ... 268
Comfort
condensation in clothes at high altitudes: combined influence of temperature and pressure *Fukazawa, Kawamura, Tochihara, Tamura* ... 657
diaper top sheets: objective hand measurement of nonwoven fabrics *Yokura, Niwa* ... 705
fabric frictional sounds: variations in sensibility to sound by fiber type and subject *Na, Cho* ... 837
heat transfer through clothing: thermal insulation during sweating *Chen, Fan, Zhang* ... 152
of clothing with condensation: combined heat and water vapor transport through clothes *Fukazawa, Kawamura, Tochihara, Tamura* ... 774
of military clothing: predicting from sensory and instrument data; new methods *Cardello, Winterhalter, Schutz* ... 221
predicting clothing sensory comfort: neural networks for human psychological perceptions *Wong, Li, Yeung, Lee* 31
wool shirt comfort: wear trials and forearm test *Wang, Zhang, Postle, Phillips* ... 113
Composites
3D braided composites: deformation analysis; nonlinear finite element technique *Tang, Postle* ... 563
3D nonwovens: novel technology of hot through-air bonding *Gong, Dong, Porat* ... 120
3D woven preforms: weaving method for advanced composite materials *Chiu, Cheng* ... 37
complex preforms: net shape knitting of glass fibers *van Vuure, Ko, Beevers* ... 1
permeability of stitched fabrics: effect of stitches on permeability of interbundle channels *Hu, Liu, Shao* ... 691
wool/PET composite yarns: mechanical properties of composite and conventional yarns *Wu, Wang, Wang* ... 305
Compression
of plain knits: predicted from yarn properties and fabric geometry *Soe, Matsuo, Takahashi, Nakajima* ... 861
of recycled fiber assemblies: thermal properties of materials from industrial sweater waste *Sukigara, Yokura, Fujimoto* 310
Computer Techniques
cotton fabric bleaching: 2.2 bipyridine catalyzed peracetic acid *Gürsoy, Dayioğlu* ... 297
cotton fiber base and seed coat study: chemical structural investigation by FTIR mapping and histochemistry *Himmelsbach, Akin, Kim, Hardin* ... 281
cross-lapper web making: dynamic control by microprocessors *Kuo, Chiang* ... 64
for dynamic cloth inspection: neural networks to study four defects *Kuo, Lee, Tsai* ... 238
matching weave and color: evolution algorithms *Grundler, Rolich* ... 1033
recognizing fabric defects: back propagation network for four defect types *Kuo, Lee* ... 147
stripe-free color and weave effects: weave effect in weave-diagram format *Dawson* ... 1041
to measure fabric pilling: 2D discrete wavelet transform for objective classification *Palmer, Wang* ... 713
to measure sliver/roving irregularity: evaluating performance of thickness tester *Mirjalili* ... 620
to study fabric wrinkle degree: evaluating with photometric stereo method *Yang, Huang* ... 451
to study tennis racket strings: relation between friction and a spinning tennis ball *Bao, Sakurai, Nakazawa* ... 570
to study weave and color effects: correction *Dawson* ... 78
to study web hydroentangling: simulating and characterizing water flows in orifices *Tafreshi, Pourdeyhimi, Holmes, Shiffler* ... 256
woven fabric deformation study: simulating with new particle model *Dai, Li, Zhang* ... 1091
Conductive Fabrics
PP/stainless steel yarns: electrical conductive properties *Lin, Lou* ... 322
Conductivity
of surface oxidized wool: physical properties and effect of RH on static electricity *Ma, Zheng, Sun* ... 1100
Contaminants
in raw cotton: effect of growth environment on neps, motes, white specks *Davidonis, Landivar, Fernandez* ... 960
in raw cotton: relationship between appearance and physical properties *Cheng, Cheng* ... 245
Cotton Fabrics
3D domed woven fabrics: engineering, manufacturing, assessing *Chen, Tayyar* ... 375
artificial finger sensor for: developing polymeric human finger sensor for knit friction studies *Ramkumar, Wood, Fox, Harlock* ... 469
artificial finger sensor for: results of polymeric human finger sensor to study fabric frictional properties *Ramkumar, Wood, Fox, Harlock* ... 606
biaxial deformation of: behavior of stretchable textiles with spatial loading *Strazdienė, Gutauskas* ... 530
cellulase treatment of: effect of purified cellulases on supermolecular structure *Rousselle, Bertoniere, Howley, Pere, Buchert* ... 921
chitosan treated: antibacterial properties *Zhang, Chen, Ji, Huang, Chen* ... 1103
cotton knit flammability: effect of gray fabric properties on flame resistance *Ozcan, Dayioğlu, Candan* ... 883
cotton/spandex single jersey knit: dimensional and physical properties *Marmarali* ... 11
crosslinking of: presence of alpha-amino acids; physical properties and agent distribution *Wang, Chen, Chen* ... 797
desizing of PVA on cotton: effect of atmospheric plasma *Cai, Qiu, Zhang, Hwang, McCord* ... 670
effects of laundering: dimensional stability, wrinkling, effect of detergent *Higgins, Anand, Holmes, Hall, Underly* ... 357
effects of laundering: effects of softener and drying type and tumble drying time *Higgins, Anand, Holmes, Hall, Underly* ... 407
energy model of knit fabric: new model to describe dimensions and low stress mechanical properties *Choi, Lo* ... 739
enzyme washing of cotton: effects on strength, abrasion resistance, handle *Yang, Zhou, Lickfield, Parachura* ... 1057
inkjet printing with acid dyes: printing of crosslinked cottons *Yang, Li* ... 809
laundering shrinkage of weft knits: contribution of fabric characteristics *Onal, Candan* ... 187

microbial desizing of: combined fabric and wastewater treatment *Feitkenhauer, Meyer* 93
microwave DP finished: influence of microwaves on nonformaldehyde finish *Vukusic, Katovic, Schramm* 733
new mercerization technique: swelling with tetramethylammonium hydroxide *Tóth, Borsa, Reicher, Sallay, Sajó, Tanczos* 273
nonformaldehyde DP finishing: acrylic and maleic acids *Udomkichdecha, Kittinaovarat, Thanasoonthornroek, Poliyaraj, Likitbanakorn* 401
peracetic acid bleaching: 2.2 bipyridine catalyzed *Gürsoy, Dayioğlu* 297
phosphorylated: phosphonic acid derivatives for flameproofing *Blanchard, Graves* 22
structural changes in knits: assessing changes during processing by image analysis *Abou-iiana, Youssef, Pastore, Gowayed* 535
weave structures of fabrics: effect on structural and mechanical properties *Jeon, Chun, Hong* 929

Cotton Fibers
blended with dew-retted flax: modifying with secondary enzymatic treatment *Evans, Akin, Morrison, Himmelsbach, McAlister, Foulk* 901
changes during spinning: superstructure and surface morphology changes *Sarna, Włochowicz* 216
cotton fiber pectin: effects of elevated temperatures on chemical properties *Gamble* 157
effect of crosslinking: crystallinity, crystallite size, strength *Xu* 433
fiber base and seed coat: chemical structural investigation by FTIR mapping and histochemistry *Himmelsbach, Akin, Kim, Hardin* 281
fine count speciality yarns: mixture of raw and dyed cotton *Koo, Park, An, Koo* 26
hollow friction spun yarns: limits in friction spinning *Merati, Okamura* 496
internal structure: mature and immature fibers revealed by scanning probe microscopy *Maxwell, Gordon, Huson* 1005
needle-punched H1 nonwovens: surface and mechanical properties *Roedel, Ramkumar* 381
ring spinning of: high drafting system in cotton ring spinning *Ben Hassen, Sakli, Sinoimeri, Renner* 55
rotor spun yarns: fiber migration and twist radial distribution *Zhang, Chen, Wan* 945
short fiber content: measuring with Suter-Webb Array, AFIS, HVI *Cui, Calamari, Robert, Price, Watson* ... 891
single fiber tensile properties: estimated from load-elongation curves of slack bundles *Cui, Suh, Sasser* 1066
sliver/roving irregularity: evaluating performance of thickness tester *Mirjalili* 620

Cotton, Raw
appearance of: relationship with physical properties *Cheng, Cheng* 245
contaminants in: effect of growth environment on neps, motes, white specks *Davidonis, Landivar, Fernandez* 960
noncellulosic constituents: relationship to fiber physical properties *Brushwood* 912

Crimp
large deflection of fiber cantilever: elliptic integral solutions; circular wavy crimp *Jung, Kang, Lee* 47

Crosslinking
cotton cellulose: presence of alpha-amino acids; physical properties and agent distribution *Wang, Chen, Chen* ... 797
effect on cotton fibers: crystallinity, crystallite size, strength *Xu* 433
ester treatment for lyocell fibers: reduces fibrillation tendency *Fang, Hao, Hu, Shao* 1005
inkjet printing of cottons: printing of crosslinked fabrics with acid dyes *Yang, Li* 809
ionic: wrinkle recovery; highly cationic chitosan *Hashem, Hauser, Smith* 762
mercerized and crosslinked ramie: tensile strength loss *Zhou, Yeung, Yuen, Zhou* 367

Crystallinity
changes during spinning: cotton superstructure and surface morphology changes *Sarna, Włochowicz* 216
of crosslinked cotton fibers: crystallinity, crystallite size, strength *Xu* 433
with new mercerization technique: swelling with tetramethylammonium hydroxide *Tóth, Borsa, Reicher, Sallay, Sajó, Tanczos* 273

Deformation
3D braided composites: deformation analysis; nonlinear finite element technique *Tang, Postle* 563
bending mechanics of ply yarns: coercive couple due to friction between strands during deformation *Park, Oh* ... 473
biaxial: behavior of stretchable textiles with spatial loading *Strazdiené, Gutauskas* 530
deformation micromechanics: regenerated cellulosics; Raman spectroscopy *Hamad* 934
deformation micromechanics: regenerated cellulosics; Raman spectroscopy *Eichhorn, Young* 936
extended geometric pore model: flow resistance of multifilament fabrics *Gooijer, Warmoeskerken, Wassink* ... 480
grab versus strip tensile tests: fabrics with roughly linear mechanical behavior *Pan* 165
in knits: uniaxial and strip biaxial extension; mechanical properties *Yamada, Ito, Matsuo* 985
of cotton spandex single knit: dimensional and physical properties *Marmarali* 11
of limp material parts: optimal pick-up locations for transport and handling of 2D parts *Lankalapalli, Eischen* 867
of limp materials: optimal pick-up locations for transport and handling of 1D strips *Lankalapalli, Eischen* 787
shape memory membranes: influence of processing on microstructure and properties *Hu, Zeng, Yan* 172

Degradation
of nylon 66 carpet pile fibers: hydrolytic degradation for sculpturing *Cribbs, Ogale* 98

Detergency
lipid detergency: observed by quartz microbalance *Shimomura, Onozawa, Komiyama, Sehata* 509

Diapers
comfort of top sheets: objective hand measurement of nonwoven fabrics *Yokura, Niwa* 705

Diffusion
heat and moisture transfer: sorption, condensation, capillary liquid diffusion *Li, Zhu* 515

Drafting
high drafting system: cotton ring spinning *Ben Hassen, Sakli, Sinoimeri, Renner* 55
in twin spun yarn spinning: drafting force for lyocell twin roving *Su, Liu, Jiang* 815
twist drafting frame: yarn property control *Takemura, Nakazawa, Kawamura* 386

Drape
drape coefficients: static and dynamic; polyester *Matsudaira, Yang, Kinari, Shintaku* 59
nonwoven drape and bending: lattice model *Termonia* ... 74
of lightweight wool blends: mechanical properties and air permeability of four blend constructions *Önder, Kalaoğlu, Özipek* 854
of woven silk: conventional static and new dynamic drape coefficients *Matsudaira, Yang* 250
woven fabric deformation: simulating with new particle model *Dai, Li, Zhang* 1091

Drawing
air drawn nonwovens: modeling polymer air drawing in melt blowing process *Chen, Huang* 651
of self-extensible polyester: optimum finishing process for silk-like fabric *Su, Lin* 485

Durable Press
effect of crosslinking cotton: crystallinity, crystallite size, strength *Xu* 433

microwave DP finished cotton: influence of microwaves on nonformaldehyde finish *Vukusic, Katovic, Schramm* ... 733
nonformaldehyde finishing of cotton: acrylic and maleic acids *Udomkichdecha, Kittinaovarat, Thanasoonthornroek, Poliyaraj, Likitbanakorn* ... 401

Dyeing
and drape of polyester: static and dynamic drape through finishing *Matsudaira, Yang, Kinari, Shintaku* ... 59
fine count cotton specialty yarns: mixture of raw and dyed cotton *Koo, Park, An, Koo* ... 26
improved indigo process: measuring and controlling indigo and sodium dithionite *Westbroek, De Clerck, Kiekens, Gasana, Temmerman* ... 1079
inkjet printing of cottons: printing of crosslinked fabrics with acid dyes *Yang, Li* ... 809
leveling agents in nylon dyeing: PEG-silicone polyesters *Liu, Lin, Chen* ... 583
of crosslinked cotton: presence of alpha-amino acids; physical properties and agent distribution *Wang, Chen, Chen* 797
of lyocell fibers: structural characteristics and properties after enzymatic defibrillation *Carrillo, Colom, Valldeperas, Evans, Huson, Church* ... 1024
of microwave DP finished cotton: influence of microwaves on nonformaldehyde finish *Vukusic, Katovic, Schramm* 733
of wrinkleproofed silk: aqueous epoxide finishing *Cai, Qiu* 42
perceived color depth: modeling influence of dye distribution of filament array *Motamedian, Broadbent* ... 124
polyester fiber structure: x-ray and viscoelasticimetry study *Diéval, Mathieu, Durand* ... 200
pretreated Nomex yarns: physical properties of yarns treated with amines *Wang, Chen* ... 395
ultrasonic dyeing of polyester: characteristics of ultrasound on disperse dye *Lee, Chung, Kim* ... 751

Dyes
effluent from: predicting degree of toxicity of reactive dye mixtures *Kwok, Xin, Sin* ... 625

Elastic Fabrics
tension and pressure decay in: theoretical analysis of tubular fabric *Hui, Ng* ... 268

Elasticity
large deflection of fiber cantilever: elliptic integral solutions; circular wavy crimp *Jung, Kang, Lee* ... 47

Electrochemical Techniques
improved indigo dyeing: measuring and controlling indigo and sodium dithionite *Westbroek, De Clerck, Kiekens, Gasana, Temmerman* ... 1079

Enthalpy
of wool-water mixtures: freezing and thawing of mixtures *Takahashi, Mitomo, Arai, Takigami* ... 546

Environmental Impacts
of reactive dye mixtures: predicting degree of toxicity of effluent *Kwok, Xin, Sin* ... 625
of regenerated lyocell fibers: structural characteristics of new and conventional fibers *Kreze, Malej* ... 675

Enzymes
dew-retted flax fibers: modifying with secondary enzymatic treatment *Evans, Akin, Morrison, Himmelsbach, McAlister, Foulk* ... 901
enzymatic defibrillation of lyocell: structural characteristics and properties after enzymatic defibrillation *Carrillo, Colom, Valldeperas, Evans, Huson, Church* ... 1024
enzyme washing of cotton: effects on strength, abrasion resistance, handle *Yang, Zhou, Lickfield, Parachura* ... 1057
microbial desizing of cotton: combined fabric and wastewater treatment *Feitkenhauer, Meyer* ... 93
on cotton cellulose: effect of purified cellulases on supermolecular structure *Rousselle, Bertoniere, Howley, Pere, Buchert* ... 921
to ret flax: effects of acidic media pre-incubation on efficiency *Zhang, Johansson, Pettersson, Akin, Foulk, Khalili, Henriksson* ... 263

Fabric Defects
dynamic cloth inspection: neural networks to study four defects *Kuo, Lee, Tsai* ... 238
gray relational analysis: recognizes four defects *Kuo, Su* 461
recognizing with neural network: back propagation network for four defect types *Kuo, Lee* ... 147

Fabrics
3D domed woven fabrics: engineering, manufacturing, assessing *Chen, Tayyar* ... 375
activated charcoal rayon: influence of pretreatment on oxidized rayon properties *Su, Peng, Huang, Wang* ... 427
ballistic panels for aircraft: slow penetration for deflecting engine failure debris *Erlich, Schockey, Simons* ... 179
military clothing comfort: predicting from sensory and instrument data; new methods *Cardello, Winterhalter, Schutz* ... 221
moldable shaped nonwovens: integrated meltblowing and robotic technologies *Farer, Seyam, Ghosh, Batra, Grant, Lee* ... 15
processing limp materials: optimal pick-up locations for transport and handling of 2D parts *Lankalapalli, Eischen* 867
processing limp materials: optimal pick-up locations for transport and handling of 1D strips *Lankalapalli, Eischen* 787

Fiber Assemblies
porosity in: theoretical approach for determining pore characteristics *Neckář, Ibrahim* ... 611
sorption properties of: dependence on fabrication and material characteristics *Kim, Lee, Lim, Jeon* ... 455
tensile curves of: wool single fiber and bundle tensile properties *Yu, Yan, Postle* ... 875

Fiber Migration
in rotor spun yarns: twist radial distribution *Zhang, Chen, Wan* 945

Fiber Orientation
optical evaluation of nonwovens: light backscattering to find fiber orientation and area density *Zhou, Chu, Yan* ... 131

Fibers
cardioid-shaped cross section: torsional and bending analysis *Lee* ... 1085

Fibrillation
abraded silk fibers: tensile properties of silk treated with dimethylsulfoxide *Kawahara, Hananouchi, Kimura* ... 289
of lyocell fibers: ester crosslinking reduces tendency *Fang, Hao, Hu, Shao* ... 1005
of lyocell fibers: structural characteristics and properties after enzymatic defibrillation *Carrillo, Colom, Valldeperas, Evans, Huson, Church* ... 1024

Filaments
perceived color depth in: modeling influence of dye distribution of filament array *Motamedian, Broadbent* ... 124

Films
shape memory polyurethane: influence of processing on microstructure and properties *Hu, Zeng, Yan* ... 172

Filters
polyester filter fabrics: weathering of polyaniline-treated fabric *Järvinen, Puolakka* ... 593

Flammability
of cotton knit types: effect of gray fabric properties on flame resistance *Ozcan, Dayioğlu, Candan* ... 883
of phosphorylated cellulose: phosphonic acid derivatives *Blanchard, Graves* ... 22

Flax
dew-retted fibers: modifying with secondary enzymatic treatment *Evans, Akin, Morrison, Himmelsbach, McAlister, Foulk* ... 901
enzyme retting: effects of acidic media pre-incubation on efficiency *Zhang, Johansson, Pettersson, Akin, Foulk, Khalili, Henriksson* ... 263

Flow Resistance
of textiles: monofilament fabric geometry *Gooijer, Warmoeskerken, Wassink* ... 437
of textiles: multifilament fabric geometry *Gooijer, Warmoeskerken, Wassink* ... 480

Fluid Flow
in hydroentangling nozzles: simulating effect of cone angle and nozzle aspect ratio *Tafreshi, Pourdeyhimi* 700
wet-lay nonwoven process: role of baffles on flow fields in mixing tanks; influence on fiber dispersion *Tafreshi, Pourdeyhimi* 575
Free Radicals
in wool fibers: formation in low temperature plasma treated fibers *Molina, Erra, Juliá, Bertran* 955
Freezing Phenomena
wool-water mixtures: effect of cooling rate on freezing of wool-water mixtures *Takahashi, Mitomo, Arai, Takigami* 597
Friction
artificial finger sensor: developing polymeric human finger sensor for fabric friction studies *Ramkumar, Wood, Fox, Harlock* 469
artificial finger sensor: results of polymeric human finger sensor to study fabric frictional properties *Ramkumar, Wood, Fox, Harlock* 606
behavior of synthetic yarns: effect of oil film lubricating fibers *Lang, Zhu, Pan* 1071
bending mechanics of ply yarns: coercive couple due to friction between strands during deformation *Park, Oh* ... 473
between fibers inside yarns: slipping behavior as function of twist *Campos, Bechtold, Rohrer* 721
cotton fiber pectin: effects of elevated temperatures on chemical properties *Gamble* 157
fabric frictional sounds: variations in sensibility to sound by fiber type and subject *Na, Cho* 837
in disk-type false twisting: yarn path and friction force on single disk *Endo, Shintaku, Kinari* 139
in disk-type false twisting: yarn path and inclination angle in multi-disk spindle unit *Endo, Shintaku, Kinari* 192
in tennis racket strings: relation between friction and a spinning tennis ball *Bao, Sakurai, Nakazawa* 570
slipping yarn friction: stress concentration near yarn breaks in woven fabrics *Rossettos, Godfrey* 292

Genetics
genetic algorithm for searching: weaving parameters for fabrics *Lin* 105
Geometry
3D braided composites: deformation analysis; nonlinear finite element technique *Tang, Postle* 563
energy model of knit fabric loops: new model to describe dimensions and low stress mechanical properties *Choi, Lo* 739
extended geometric pore model: flow resistance of multifilament fabrics *Gooijer, Warmoeskerken, Wassink* ... 480
geometric pore model: flow resistance of monofilament textiles *Gooijer, Warmoeskerken, Wassink* 437
hydroentangled fabric geometry: effect of water jet pressure profile on composite nonwovens *Pourmohammadi, Russell, Höffele* 503
of disk-type false twisting: yarn path and friction force on single disk *Endo, Shintaku, Kinari* 139
of disk-type false twisting: yarn path and inclination angle in multi-disk spindle unit *Endo, Shintaku, Kinari* 192
of hydroentangling jet nozzles: effect on flow characteristics *Ghassemieh, Versteeg, Acar* 444
of plain knits: compression predicted from yarn properties and fabric geometry *Soe, Matsuo, Takahashi, Nakajima* 861
of web hydroentangling orifices: simulating and characterizing water flows in orifices *Tafreshi, Pourdeyhimi, Holmes, Shiffler* 256
Glass Fibers
complex composite preforms: net shape knitting *van Vuure, Ko, Beevers* 1
multilayer nonwoven fabrics: combined thermal conductive, convective, radiative heat transfer through *Mohammadi, Banks-Lee, Ghadimi* 896
thermal conductivity of: multilayered glass and ceramic fabrics *Mohammadi, Banks-Lee, Ghadimi* 802

Hairiness
effect on energy consumption: rotating ring-spun yarn package *Chang, Tang, Wang* 949
of compact spun yarns: yarn qualities and engineering problems *Cheng, Yu* 345
of polyester/waste blend yarns: optimum roller speed for rotor spinning *Duru, Babaarslan* 907
of synthetic yarns: effect of oil film lubricating fibers *Lang, Zhu, Pan* 1071
of wool/PET composite yarns: mechanical properties of composite and conventional yarns *Wu, Wang, Wang* ... 305
on worsted ring spinning: reduced by modified yarn path *Wang, Chang* 327
Solospun and ring spun wool: hairiness index of new and conventional worsted yarns *Chang, Wang* 640
spun-like continuous yarns: various plied filaments and different stages of emery wheels *Lei* 1046
Handle
artificial finger sensor: developing polymeric human finger sensor for fabric friction studies *Ramkumar, Wood, Fox, Harlock* 469
artificial finger sensor: results of polymeric human finger sensor to study fabric frictional properties *Ramkumar, Wood, Fox, Harlock* 606
enzyme washing of cotton: effects on strength, abrasion resistance, handle *Yang, Zhou, Lickfield, Parachura* 1057
of diaper top sheets: objective measurement of nonwoven fabrics *Yokura, Niwa* 705
of military clothing: predicting from sensory and instrument data; new methods *Cardello, Winterhalter, Schutz* ... 221
sanded microfiber fabrics: tribologic phenomena during wear of fibrous structures *Fontaine, Bueno, Renner* ... 631
Heat Phenomena
cotton fiber pectin: effects of elevated temperatures on chemical properties *Gamble* 157
heat and moisture transfer: sorption, condensation, capillary liquid diffusion *Li, Zhu* 515
heat transfer through clothing: thermal insulation during sweating *Chen, Fan, Zhang* 152
in industrial sweater waste products: compression and thermal properties of fiber assemblies *Sukigara, Yokura, Fujimoto* 310
through multilayer nonwovens: combined thermal conductive, convective, radiative transfer *Mohammadi, Banks-Lee, Ghadimi* 896
Hemp
textile processing of: pectin and lignin removal by chemical processing *Wang, Postle, Kessler, Kessler* 664
High Volume Instrument
noncellulosic constituents of cotton: relationship to fiber physical properties *Brushwood* 912
short fiber content of cotton: measuring with Suter-Webb Array, AFIS, HVI *Cui, Calamari, Robert, Price, Watson* 891
Hydroentangling
flow dynamics in nozzles: simulating effect of cone angle and nozzle aspect ratio *Tafreshi, Pourdeyhimi* 700
hydroentangled fabric geometry: effect of water jet pressure profile on composite nonwovens *Pourmohammadi, Russell, Höffele* 503
jet nozzle geometry: effect on flow characteristics *Ghassemieh, Versteeg, Acar* 444
of loose fiber webs: simulating and characterizing water flows in orifices *Tafreshi, Pourdeyhimi, Holmes, Shiffler* 256
Hydrolysis
effects on cationization of cellulosics: reaction efficiency with ammonium chloride treatment *Hashem, Hauser, Smith* 1017
Hydrophilicity
photocatalytic: treatment for polyester surfaces *Sawada, Sugimoto, Ueda, Park* 819

Image Analysis
cotton fiber base and seed coat study: chemical structural investigation by FTIR mapping and histochemistry *Himmelsbach, Akin, Kim, Hardin* 281
fabric pilling: 2D discrete wavelet transform for objective classification *Palmer, Wang* 713
for dynamic cloth inspection: neural networks to study four defects *Kuo, Lee, Tsai* 238
gray relational analysis: recognizes four fabric defects *Kuo, Su* 461
of fabric-to-fabric abrasion: texture retention after; gray scale image analysis *Berkalp, Pourdeyhimi, Seyam, Holmes* 316
recognizing fabric defects: back propagation network for four defect types *Kuo, Lee* 147
structural changes in knits: assessing changes during processing *Abou-iiana, Youssef, Pastore, Gowayed* 535
woven fabric patterns: automatic recognition by neural network *Jeon, Bae, Suh* 645
Indigo
improved dyeing: measuring and controlling indigo and sodium dithionite *Westbroek, De Clerck, Kiekens, Gasana, Temmerman* 1079
Infrared
cotton fiber base and seed coat study: chemical structural investigation by FTIR mapping and histochemistry *Himmelsbach, Akin, Kim, Hardin* 281
for ramie-acrylic blend analysis: simple IR technique *Dey, Mukherjee, Bhattacharya* 1062
to study kenaf bleaching: one-step bleaching and processing; effects on properties *Wang, Ramaswamy* 339

Kenaf
one-step bleaching and processing: mechanically separated fibers; effects on properties *Wang, Ramaswamy* 339
Knits
artificial finger sensor for: developing polymeric human finger sensor for fabric friction studies *Ramkumar, Wood, Fox, Harlock* 469
artificial finger sensor for: results of polymeric human finger sensor to study fabric frictional properties *Ramkumar, Wood, Fox, Harlock* 606
biaxial deformation of: behavior of stretchable textiles with spatial loading *Strazdiené, Gutauskas* 530
compression of: predicted from yarn properties and fabric geometry *Soe, Matsuo, Takahashi, Nakajima* 861
conjugate N/P pile knit: water absorption and mechanical properties *Kim, Kim, Oh* 489
cotton knit flammability: effect of gray fabric properties on flame resistance *Ozcan, Dayioğlu, Candan* 883
cotton/spandex: dimensional and physical properties of single jersey *Marmarali* 11
energy model of fabric: new model to describe dimensions and low stress mechanical properties *Choi, Lo* 739
fabric pilling: 2D discrete wavelet transform for objective classification *Palmer, Wang* 713
jersey chenille knits: component yarn count, pile length, cleaning method *Nergis, Candan* 1052
laundering shrinkage of weft knits: contribution of fabric characteristics *Onal, Candan* 187
rustling sounds of polyester knits: created by structure of warp knits *Kim, Cho, Yoon, Park* 685
spirality of wool knits: effects of yarn and knitting parameters *Chen, Au, Yuen, Yeung* 421
structural changes in: assessing changes during processing by image analysis *Abou-iiana, Youssef, Pastore, Gowayed* 535
uniaxial and biaxial extension: mechanical properties estimated by linearizing method *Yamada, Ito, Matsuo* ... 985
Knitting
complex composite preforms: net shape knitting of glass fibers *van Vuure, Ko, Beevers* 1

Laminates
PP/stainless steel yarns: electrical conductive properties *Lin, Lou* 322
Lasers
to measure thickness variations: flying laser spot scanning method for fiber bundles *Huh, Suh* 767
Laundering
effect on woven cotton properties: dimensional stability, wrinkling, effect of detergent *Higgins, Anand, Holmes, Hall, Underly* 357
effect on woven cotton properties: effects of softener and drying type and tumble drying time *Higgins, Anand, Holmes, Hall, Underly* 407
of jersey chenille knits: component yarn count, pile length, cleaning method *Nergis, Candan* 1052
weft knits: contribution of fabric characteristics to shrinkage *Onal, Candan* 187
Light Phenomena
to study round fibers: retro-reflection by geometric optics and luminosity *Zhang, Gao, Qiu* 965
Lignin
removal from hemp: pectin and lignin removal by chemical processing *Wang, Postle, Kessler, Kessler* 664
Lipids
in wool-water mixtures: enthalpies of water in freezing and thawing of mixtures *Takahashi, Mitomo, Arai, Takigami* 546
removal by surfactant: lipid detergency observed by quartz microbalance *Shimomura, Onozawa, Komiyama, Sehata* 509
Looms
for 3D domed woven fabrics: engineering, manufacturing, assessing loom attachment *Chen, Tayyar* 375
for 3D woven preforms: weaving method for advanced composite materials *Chiu, Cheng* 37
Luster
of round fibers: retro-reflection by geometric optics and luminosity *Zhang, Gao, Qiu* 965

Mathematical Modeling
3D braided composites: deformation analysis; nonlinear finite element technique *Tang, Postle* 563
acoustic impedence of textiles: precision woven monofilament polyamides *Moholkar, Warmoeskerken* 827
bending mechanics of ply yarns: coercive couple due to friction between strands during deformation *Park, Oh* 473
biaxial deformation: behavior of stretchable textiles with spatial loading *Strazdiené, Gutauskas* 530
bonding of polyethylene nonwovens: effects of bond roll pattern and temperature on microstructure and properties *Smith, Ogale, Maugans, Walsh, Patel* 854
carding machine cylinders: practrical engineering calculations for *Stadniki, Wróbel* 525
cardioid-shaped fibers: torsional and bending analysis *Lee* 1085
compression of plain knits: predicted from yarn properties and fabric geometry *Soe, Matsuo, Takahashi, Nakajima* 861
cross-lapper web making: dynamic control by microprocessors *Kuo, Chiang* 64
disk-type false twisting: yarn path and friction force on single disk *Endo, Shintaku, Kinari* 139
disk-type false twisting: yarn path and inclination angle in multi-disk spindle unit *Endo, Shintaku, Kinari* 192
energy model of knit fabric: new model to describe dimensions and low stress mechanical properties *Choi, Lo* ... 739
for carding autoleveler: generalized predictive control theory *Guo, Chen, Hu* 755
friction of fibers in yarns: slipping behavior as function of twist *Campos, Bechtold, Rohrer* 721
geometric pore model: flow resistance of monofilament textiles *Gooijer, Warmoeskerken, Wassink* 437
grab versus strip tensile tests: fabrics with roughly linear mechanical behavior *Pan* 165
heat and moisture transfer: sorption, condensation, capillary liquid diffusion *Li, Zhu* 515

heat and water vapor transport: through clothes with condensation *Fukazawa, Kawamura, Tochihara, Tamura* 774
hollow friction spun yarns: limits in friction spinning *Merati, Okamura* ... 496
improved indigo dyeing: measuring and controlling indigo and sodium dithionite *Westbroek, De Clerck, Kiekens, Gasana, Temmerman* ... 1079
large deflection of fiber cantilever: elliptic integral solutions; circular wavy crimp *Jung, Kang, Lee* ... 47
loop fancy yarns: new method on modified OE rotor spinning frame *Pouresfandiari* ... 209
matching weave and color: evolution algorithms *Grundler, Rolich* ... 1033
melt blown nonwovens: modeling polymer air drawing *Chen, Huang* ... 651
nonwoven drape and bending: lattice model *Termonia* ... 74
of air-jet spinning nozzle: numerical simulation of air flow *Zeng, Yu* ... 350
of stitched multilayer fabrics: effect of stitches on permeability of interbundle channels *Hu, Liu, Shao* ... 691
perceived color depth: modeling influence of dye distribution of filament array *Motamedian, Broadbent* ... 124
porosity of fiber assemblies: theoretical approach for determining pore characteristics *Neckář, Ibrahim* ... 611
pressure garments: tension and pressure decay in tubular garments *Hui, Ng* ... 268
processing of limp materials: optimal pick-up locations for transport and handling of 1D strips *Lankalapalli, Eischen* 787
processing of limp materials: optimal pick-up locations for transport and handling of 2D parts *Lankalapalli, Eischen* 867
regenerated lyocell fibers: structural characteristics of new and conventional fibers *Kreze, Malej* ... 675
rotating ring-spun yarn packages: effect of hairiness on energy consumption *Chang, Tang, Wang* ... 949
rustling sounds of polyester knits: created by structure of warp knits *Kim, Cho, Yoon, Park* ... 685
single fiber tensile properties: estimated from load-elongation curves of slack bundles *Cui, Suh, Sasser* ... 1066
stripe-free color and weave effects: weave effect in weave-diagram format *Dawson* ... 1041
thickness variations in fiber bundles: flying laser spot scanning method *Huh, Suh* ... 767
three-dimensional nonwovens: modeling permeability in homogeneous fabrics *Mao, Russell* ... 939
to evaluate nonwovens: light backscattering to find fiber orientation and area density *Zhou, Chu, Yan* ... 131
to study round fibers: retro-reflection by geometric optics and luminosity *Zhang, Gao, Qiu* ... 965
to study tennis racket strings: relation between friction and a spinning tennis ball *Bao, Sakurai, Nakazawa* ... 570
twist drafting frame: yarn property control *Takemura, Nakazawa, Kawamura* ... 386
twist in rotor spinning: modeling twist at the peeling point *Ba, Huang* ... 390
uniaxial and biaxial extension in knits: mechanical properties estimated by linearizing method *Yamada, Ito, Matsuo* 985
wet-lay nonwoven process: role of baffles on flow fields in mixing tanks; influence on fiber dispersion *Tafreshi, Pourdeyhimi* ... 575
wool fiber mixture analysis: analyzing pure wool and admixtures of cashmere *Wortmann, Phan, Augustin* ... 727
wool tensile curves: single fiber and bundle tensile properties *Yu, Yan, Postle* ... 875
wool-water mixtures: enthalpies of water in freezing and thawing of mixtures *Takahashi, Mitomo, Arai, Takigami* 546
woven fabric deformation: simulating with new particle model *Dai, Li, Zhang* ... 1091
woven fabric patterns: automatic recognition by neural network *Jeon, Bae, Suh* ... 645
yarn twist distribution: dynamic analysis of rotor spinning *Xu, Tao* ... 79

Mechanical Properties
of sea animal cellulosic pulp: preparation and properties of new regenerated fibers *Wang, Koo, Kim* ... 998
Melt Blowing
forming shaped/molded structures: integrated meltblowing and robotic technologies *Farer, Seyam, Ghosh, Batra, Grant, Lee* ... 15
melt blown nonwovens: modeling polymer air drawing *Chen, Huang* ... 651
Mercerization
mercerized and crosslinked ramie: tensile strength loss *Zhou, Yeung, Yuen, Zhou* ... 367
new mercerization technique: swelling with tetramethylammonium hydroxide *Tóth, Borsa, Reicher, Sallay, Sajó, Tanczos* 273
of lyocell fibers: effect of pulp type on mercerizing and physical properties *Chae, Choi, Kim, Oh* ... 541
Microfibers
conjugate N/P pile knit: water absorption and mechanical properties *Kim, Kim, Oh* ... 489
improved hand of: tribologic phenomena during sanding of fibrous structures *Fontaine, Bueno, Renner* ... 631
polyester fiber structure: x-ray and viscoelasticimetry study of dyed fibers *Diéval, Mathieu, Durand* ... 200
Microscopy
scanning probe microscopy: mature and immature cotton fibers *Maxwell, Gordon, Huson* ... 1005
Microwaves
for DP finishing of cotton: influence of microwaves on nonformaldehyde finish *Vukusic, Katovic, Schramm* ... 733
Moisture Transport
heat and moisture transfer: sorption, condensation, capillary liquid diffusion *Li, Zhu* ... 515
heat transfer through clothing: thermal insulation during sweating *Chen, Fan, Zhang* ... 152
wool shirt comfort: wear trials and forearm test *Wang, Zhang, Postle, Phillips* ... 113
Molecular Structure
of cellulase-treated cotton: effect of purified cellulases on supermolecular structure *Rousselle, Bertoniere, Howley, Pere, Buchert* ... 921

Needle Punching
H1 nonwovens: surface and mechanical properties *Roedel, Ramkumar* ... 381
Neps
in raw cotton: effect of growth environment on neps, motes, white specks *Davidonis, Landivar, Fernandez* ... 960
Neural Networks
for clothing sensory comfort: predicting human psychological perceptions *Wong, Li, Yeung, Lee* ... 31
for evaluating spliced yarns: neural network and regression *Cheng, Lam* ... 161
recognizing fabric defects: back propagation network for four defect types *Kuo, Lee* ... 147
to study fabric defects: dynamic cloth inspection for four defects *Kuo, Lee, Tsai* ... 238
woven fabric patterns: automatic recognition by neural network *Jeon, Bae, Suh* ... 645
Nonwovens
3D molded nonwovens: effects of mold porosity on fiber distribution *Ravirala, Gong* ... 588
3D nonwovens: novel technology of hot through-air bonding *Gong, Dong, Porat* ... 120
bonding of polyethylene: effects of bond roll pattern and temperature on microstructure and properties *Smith, Ogale, Maugans, Walsh, Patel* ... 845
cross-lapper web making: dynamic control by microprocessors *Kuo, Chiang* ... 64
diaper top sheets: objective hand measurement of nonwoven fabrics *Yokura, Niwa* ... 705
drape and bending properties: lattice model *Termonia* ... 74
hydroentangled fabric geometry: effect of water jet pres-

sure profile on composite fabrics *Pourmohammadi, Russell, Höffele* ... 503
hydroentangled fabrics: simulating effect of cone angle and nozzle aspect ratio *Tafreshi, Pourdeyhimi* ... 700
melt blown nonwovens: modeling polymer air drawing *Chen, Huang* ... 651
meltblown structures: formed by robotic and meltblowing system; pore sizes *Velu, Ghosh, Seyam* ... 971
multilayer fabrics: combined thermal conductive, convective, radiative heat transfer through *Mohammadi, Banks-Lee, Ghadimi* ... 896
needle-punched: surface and mechanical properties of H1 technology *Roedel, Ramkumar* ... 381
optical evaluation of: light backscattering to find fiber orientation and area density *Zhou, Chu, Yan* ... 131
random webs: static method for thermally bonded nonwovens *Hsing, Kao* ... 823
shaped/molded structures: integrated meltblowing and robotic technologies *Farer, Seyam, Ghosh, Batra, Grant, Lee* 15
thermal conductivity of: multilayered glass and ceramic fabrics *Mohammadi, Banks-Lee, Ghadimi* ... 802
thermally bonded fabrics: effect of fiber arrangement on mechanical properties *Lin, Xu, Lei, Lou* ... 917
three-dimensional nonwovens: modeling permeability in homogeneous fabrics *Mao, Russell* ... 939
wet-lay process: role of baffles on flow fields in mixing tanks; influence on fiber dispersion *Tafreshi, Pourdeyhimi* ... 575

Nozzles
air-jet spinning nozzles: numerical simulation of air flow *Zeng, Yu* ... 350
for hydroentangling nonwovens: simulating effect of cone angle and nozzle aspect ratio *Tafreshi, Pourdeyhimi* ... 700
hydroentangling jet nozzle geometry: effect on flow characteristics *Ghassemieh, Versteeg, Acar* ... 444

Nylon
conjugate N/P pile knit: water absorption and mechanical properties *Kim, Kim, Oh* ... 489
leveling agents in nylon dyeing: PEG-silicone polyesters *Liu, Lin, Chen* ... 583
nylon 66 carpet pile fibers: hydrolytic degradation for sculpturing *Cribbs, Ogale* ... 98

Optics
perceived color depth: modeling influence of dye distribution of filament array *Motamedian, Broadbent* ... 124
to evaluate nonwovens: light backscattering to find fiber orientation and area density *Zhou, Chu, Yan* ... 131
to measure thickness variations: flying laser spot scanning method for fiber bundles *Huh, Suh* ... 767
to study fabric wrinkle degree: evaluating with photometric stereo method *Yang, Huang* ... 451
to study knit extension: uniaxial and strip biaxial extension; mechanical properties *Yamada, Ito, Matsuo* ... 985
to study round fibers: retro-reflection by geometric optics and luminosity *Zhang, Gao, Qiu* ... 965

Pattern Recognition
structural changes in knits: assessing changes during processing by image analysis *Abou-iiana, Youssef, Pastore, Gowayed* ... 535
woven fabric patterns: automatic recognition by neural network *Jeon, Bae, Suh* ... 645

Patterns
matching weave and color: evolution algorithms *Grundler, Rolich* ... 1033
stripe-free color and weave effects: weave effect in weave-diagram format *Dawson* ... 1041

Pectins
removal from hemp: pectin and lignin removal by chemical processing *Wang, Postle, Kessler, Kessler* ... 664

Permeability
of lightweight wool blends: mechanical properties and air permeability of four blend constructions *Önder, Kalaoğlu, Özipek* ... 854
of stitched multilayer fabrics: effect of stitches on permeability of interbundle channels *Hu, Liu, Shao* ... 691
of three-dimensional nonwovens: modeling directional permeability in homogeneous fabrics *Mao, Russell* ... 939

Photographic Techniques
fabric-to-fabric abrasion: texture retention after; gray scale image analysis *Berkalp, Pourdeyhimi, Seyam, Holmes* 316
to measure card web density: camera-based measurements *Dorrity, Zhao, Carr* ... 69
to study tennis racket strings: relation between friction and a spinning tennis ball *Bao, Sakurai, Nakazawa* ... 570

Pilling
objective classification of: 2D discrete wavelet transform *Palmer, Wang* ... 713

Plasmas
dynamic wetting of fibers: plasma treated polypropylene observed in environmental SEM *Wei, Mather, Fotheringham, Yang* ... 557
for desizing of PVA on cotton: effect of atmospheric plasma *Cai, Qiu, Zhang, Hwang, McCord* ... 670
wool fiber treatment: free radical formation in low temperature plasma treated fibers *Molina, Erra, Juliá, Bertran* 955

Polyamides
acoustic impedence of textiles: precision woven monofilament fabrics *Moholkar, Warmoeskerken* ... 827

Polybenzobisoxazole
ballistic panels for aircraft: slow penetration for deflecting engine failure debris *Erlich, Schockey, Simons* ... 179

Polyester
as leveling agents in nylon dyeing: PEG-silicone polyesters *Liu, Lin, Chen* ... 583
condensation in clothes at high altitudes: combined influence of temperature and pressure *Fukazawa, Kawamura, Tochihara, Tamura* ... 657
conjugate N/P pile knit: water absorption and mechanical properties *Kim, Kim, Oh* ... 489
drape coefficients: static and dynamic drape through finishing *Matsudaira, Yang, Kinari, Shintaku* ... 59
fiber and microfiber structure: x-ray and viscoelasticimetry study *Diéval, Mathieu, Durand* ... 200
filter fabrics: weathering of polyaniline-treated fabric *Järvinen, Puolakka* ... 593
hydrophilic treatment of: photocatalytic reactions *Sawada, Sugimoto, Ueda, Park* ... 819
lightweight wool blends: mechanical properties and air permeability of four blend constructions *Önder, Kalaoğlu, Özipek* ... 854
needle-punched H1 nonwovens: surface and mechanical properties *Roedel, Ramkumar* ... 381
polyester/waste blend rotor yarns: optimum roller speed for spinning *Duru, Babaarslan* ... 907
rustling sounds of polyester knits: created by structure of warp knits *Kim, Cho, Yoon, Park* ... 685
sanded microfiber fabrics: tribologic phenomena during wear of fibrous structures *Fontaine, Bueno, Renner* ... 631
self-extensible filaments: optimum finishing process for silk-like fabric *Su, Lin* ... 485
thermal analysis of fibers, yarns: differential solubility of three fiber types *Manich, Bosch, Carilla, Ussman, Maillo, Gacén* ... 333
twist drafting frame for: yarn property control *Takemura, Nakazawa, Kawamura* ... 386
ultrasonic dyeing of: characteristics of ultrasound on disperse dye *Lee, Chung, Kim* ... 751
weave structures of fabrics: effect on structural and mechanical properties *Jeon, Chun, Hong* ... 929
wool/PET composite yarns: mechanical properties of composite and conventional yarns *Wu, Wang, Wang* ... 305
wool/polyester blends: influence of varying structural parameters on abrasion *Kalaoğlu, Önder, Özipek* ... 980

Polyethylene
bonding of nonwovens: effects of bond roll pattern and

temperature on microstructure and properties *Smith, Ogale, Maugans, Walsh, Patel* 845
Polypropylene
dynamic wetting of fibers: plasma treated fibers observed in environmental SEM *Wei, Mather, Fotheringham, Yang* 557
for 3D nonwovens: novel technology of hot through-air bonding *Gong, Dong, Porat* 120
PP/stainless steel yarns: electrical conductive properties *Lin, Lou* 322
Polyurethane
shape memory membranes: influence of processing on microstructure and properties *Hu, Zeng, Yan* 172
Polyvinylalcohol
desizing of PVA on cotton: effect of atmospheric plasma *Cai, Qiu, Zhang, Hwang, McCord* 670
Porosity
3D molded nonwovens: effects of mold porosity on fiber distribution *Ravirala, Gong* 588
extended geometric pore model: flow resistance of multifilament fabrics *Gooijer, Warmoeskerken, Wassink* ... 480
geometric pore model: flow resistance of monofilament textiles *Gooijer, Warmoeskerken, Wassink* 437
in general fiber assemblies: theoretical approach for determining pore characteristics *Neckář, Ibrahim* 611
of cellulase-treated cotton: effect of purified cellulases on supermolecular structure *Rousselle, Bertoniere, Howley, Pere, Buchert* 921
of meltblown nonwovens: formed by robotic and meltblowing system; pore sizes *Velu, Ghosh, Seyam* 971
sorption of fibrous assemblies: dependence on fabrication and material characteristics *Kim, Lee, Lim, Jeon* 455
Prickle
wool shirt comfort: wear trials and forearm test *Wang, Zhang, Postle, Phillips* 113
Printing
inkjet printing of cottons: crosslinked fabrics printed with acid dyes *Yang, Li* 809
Psychophysical Techniques
military clothing comfort: predicting from sensory and instrument data; new methods *Cardello, Winterhalter, Schutz* 221
Pulp
from sea animals: preparation and properties of new regenerated fibers *Wang, Koo, Kim* 998

Ramie
mercerized and crosslinked: tensile strength loss *Zhou, Yeung, Yuen, Zhou* 367
ramie-acrylic blend analysis: simple IR technique *Dey, Mukherjee, Bhattacharya* 1062
Rayon
activated charcoal cloth: influence of pretreatment on oxidized rayon properties *Su, Peng, Huang, Wang* 427
Recycling
industrial sweater waste products: compression and thermal properties of fiber assemblies *Sukigara, Yokura, Fujimoto* 310
Retting
dew-retted flax fibers: modifying with secondary enzymatic treatment *Evans, Akin, Morrison, Himmelsbach, McAlister, Foulk* 901
enzyme retting of flax: effects of acidic media pre-incubation on efficiency *Zhang, Johansson, Pettersson, Akin, Foulk, Khalili, Henriksson* 263
Robotics
forming shaped/molded structures: integrated meltblowing and robotic technologies *Farer, Seyam, Ghosh, Batra, Grant, Lee* 15
meltblown nonwovens: formed by robotic and meltblowing system; pore sizes *Velu, Ghosh, Seyam* 971
to process limp materials: optimal pick-up locations for transport and handling of 1D strips *Lankalapalli, Eischen* ... 787
to process limp materials: optimal pick-up locations for transport and handling of 2D parts *Lankalapalli, Eischen* 867
Roving
sliver/roving irregularity: evaluating performance of thickness tester *Mirjalili* 620
twin spun lyocell spinning: drafting force for lyocell twin roving *Su, Liu, Jiang* 815

Scanning Electron Microscopy
ESEM study of fiber wetting: dynamic wetting of plasma treated polypropylene *Wei, Mather, Fotheringham, Yang* 557
fiber mixture analysis: analyzing pure wool and admixtures of cashmere *Wortmann, Phan, Augustin* 727
fiber mixture analysis: possibilities and limitations of technique for wool/cashmere mixtures *Wortmann, Phan, Augustin* 781
of lyocell fibers: ester crosslinking reduces tendency *Fang, Hao, Hu, Shao* 1005
to study changes during spinning: cotton superstructure and surface morphology changes *Sarna, Włochowicz* 216
Scanning Probe Microscopy
of cotton fibers: mature and immature fibers *Maxwell, Gordon, Huson* 1005
Shape Memory
polyurethane membranes: influence of processing on microstructure and properties *Hu, Zeng, Yan* 172
Shear
grab versus strip tensile tests: fabrics with roughly linear mechanical behavior *Pan* 165
in wet-lay nonwoven process: role of baffles on flow fields in mixing tanks; influence on fiber dispersion *Tafreshi, Pourdeyhimi* 575
Shrinkage
effect of laundering on cotton: effects of softener and drying type and tumble drying time *Higgins, Anand, Holmes, Hall, Underly* 407
effects of laundering on cotton: dimensional stability, effects of detergents, softeners, tumble drying *Higgins, Anand, Holmes, Hall, Underly* 357
laundering of weft knits: contribution of fabric characteristics to shrinkage *Onal, Candan* 187
of pretreated Nomex yarns: physical properties of yarns treated with amines *Wang, Chen* 395
Shrinkproofing
surface oxidized wool: physical properties and effect of RH on static electricity *Ma, Zheng, Sun* 1100
Silicone
to wrinkleproof silk: aqueous epoxide finishing *Cai, Qiu* 42
Silk
abrasion resistant fibers: tensile properties of silk treated with dimethylsulfoxide *Kawahara, Hananouchi, Kimura* 289
drape of: conventional static and new dynamic drape coefficients *Matsudaira, Yang* 250
silk-like polyester: optimum finishing process for self-extensible polyester filaments *Su, Lin* 485
wrinkleproofing of: aqueous epoxide finishing *Cai, Qiu* 42
Sizing
desizing of PVA on cotton: effect of atmospheric plasma *Cai, Qiu, Zhang, Hwang, McCord* 670
microbial desizing of cotton: combined fabric and wastewater treatment *Feitkenhauer, Meyer* 93
Sliver
carding autoleveler: generalized predictive control theory *Guo, Chen, Hu* 755
sliver/roving irregularity: evaluating performance of thickness tester *Mirjalili* 620
Solubility
polyester fibers and yarns: thermal analysis and differential solubility of three fiber types *Manich, Bosch, Carilla, Ussman, Maillo, Gacén* 333
Sorption
of fibrous assemblies: dependence on fabrication and material characteristics *Kim, Lee, Lim, Jeon* 455
Spinning
air-jet spinning: numerical simulation of air flow in nozzles *Zeng, Yu* 350

compact spun yarns: yarn qualities and engineering problems *Cheng, Yu* 345
energy consumption in: effect of hairiness in rotating ring-spun yarn package *Chang, Tang, Wang* 949
high drafting system: cotton ring spinning *Ben Hassen, Sakli, Sinoimeri, Renner* 55
hollow friction spun yarns: limits in friction spinning *Merati, Okamura* 496
loop fancy yarns: new method on modified OE rotor spinning frame *Pouresfandiari* 209
of lyocell fibers: effect of pulp type on mercerizing and physical properties *Chae, Choi, Kim, Oh* 541
of sea animal cellulosic pulp: preparation and properties of new regenerated fibers *Wang, Koo, Kim* 998
polyester fibers and yarns: thermal analysis and differential solubility of three fiber types *Manich, Bosch, Carilla, Ussman, Maillo, Gacén* 333
polyester/waste blend rotor yarns: optimum roller speed for spinning *Duru, Babaarslan* 907
Solospun and ring spun wool: hairiness index of new and conventional worsted yarns *Chang, Wang* 640
twin spun lyocell spinning: drafting force for lyocell twin roving *Su, Liu, Jiang* 815
twist in rotor spinning: modeling twist at the peeling point *Ba, Huang* 390
worsted ring spinning: reduced hairiness by modified yarn path *Wang. Chang* 327
yarn twist distribution: dynamic analysis of rotor spinning *Xu, Tao* 79

Spirality
of wool knits: effects of yarn and knitting parameters *Chen, Au, Yuen, Yeung* 421

Stainless Steel
PP/stainless steel yarns: electrical conductive properties *Lin, Lou* 322

Static Electricity
in surface oxidized wool: physical properties and effect of RH on static electricity *Ma, Zheng, Sun* 1100

Statistical Techniques
for carding autoleveler: generalized predictive control theory *Guo, Chen, Hu* 755
for cotton fabric bleaching: 2.2 bipyridine catalyzed peracetic acid *Gürsoy, Dayioğlu* 297
for evaluating spliced yarns: neural network and regression *Cheng, Lam* 161
for predicting sensory comfort: neural networks for human psychological perceptions *Wong, Li, Yeung, Lee* 31
for searching weaving parameters: genetic algorithm for searching *Lin* 105
gray relational analysis: recognizes four fabric defects *Kuo, Su* 461
to study drape of polyester: static and dynamic drape through finishing *Matsudaira, Yang, Kinari, Shintaku* 59
to study fabric wrinkle degree: evaluating with photometric stereo method *Yang, Huang* 451
to study silk drape: conventional static and new dynamic drape coefficients *Matsudaira, Yang* 250
to study slipping yarn friction: stress concentration near yarn breaks in woven fabrics *Rossettos, Godfrey* 292

Stitching
of multilayer fabrics: effect of stitches on permeability of interbundle channels *Hu, Liu, Shao* 691

Stress
slipping yarn friction: stress concentration near yarn breaks in woven fabrics *Rossettos, Godfrey* 292

Stretch Fabrics
cotton/spandex single jersey knit: dimensional and physical properties *Marmarali* 11

Surfactants
as leveling agents in nylon dyeing: PEG-silicone polyesters *Liu, Lin, Chen* 583
lipid detergency: observed by quartz microbalance *Shimomura, Onozawa, Komiyama, Sehata* 509

Swelling
new mercerization technique: swelling with tetramethylammonium hydroxide *Tóth, Borsa, Reicher, Sallay, Sajó, Tanczos* 273

Tensile Properties
grab versus strip tests: fabrics with roughly linear mechanical behavior *Pan* 165
mercerized and crosslinked ramie: tensile strength loss *Zhou, Yeung, Yuen, Zhou* 367
of single cotton fibers: estimated from load-elongation curves of slack bundles *Cui, Suh, Sasser* 1066
of wool fibers and bundles: single fiber and bundle tensile curves *Yu, Yan, Postle* 875

Texture
after fabric-to-fabric abrasion: gray scale image analysis *Berkalp, Pourdeyhimi, Seyam, Holmes* 316

Texturing
of self-extensible polyester: optimum finishing process for silk-like fabric *Su, Lin* 485
spun-like continuous yarns: various plied filaments and different stages of emery wheels *Lei* 1046

Thermal Analysis
of multilayered nonwovens: determining effective thermal conductivity of glass and ceramic fabrics *Mohammadi, Banks-Lee, Ghadimi* 802
of phosphorylated cellulose: phosphonic acid derivatives for flameproofing *Blanchard, Graves* 22
of polyester fibers and yarns: differential solubility of three fiber types *Manich, Bosch, Carilla, Ussman, Maillo, Gacén* 333

Toxicity
of reactive dye mixtures: predicting degree of toxicity of effluent *Kwok, Xin, Sin* 625

Tracer Fiber Technique
in rotor spun yarns: fiber migration and twist radial distribution *Zhang, Chen, Wan* 945

Twist
disk-type false twisting: yarn path and friction force on single disk *Endo, Shintaku, Kinari* 139
disk-type false twisting: yarn path and inclination angle in multi-disk spindle unit *Endo, Shintaku, Kinari* 192
dynamic analysis: yarn twist distribution in rotor spinning *Xu, Tao* 79
friction of fibers in yarns: slipping behavior as function of twist *Campos, Bechtold, Rohrer* 721
in rotor spinning: modeling twist at the peeling point *Ba, Huang* 390
in rotor spun yarns: fiber migration and twist radial distribution *Zhang, Chen, Wan* 945
spirality of wool knits: effects of yarn and knitting parameters *Chen, Au, Yuen, Yeung* 421
spun-like continuous yarns: various plied filaments and different stages of emery wheels *Lei* 1046

Ultrasound
acoustic impedence of textiles: precision woven monofilament polyamides *Moholkar, Warmoeskerken* 827
ultrasonic dyeing of polyester: characteristics of ultrasound on disperse dye *Lee, Chung, Kim* 751

Ultraviolet
photocatalytic reactions on polyester: hydrophilic treatment for surfaces *Sawada, Sugimoto, Ueda, Park* 819
UV irradiation of wool fibers: free radical formation in low temperature plasma treated fibers *Molina, Erra, Juliá, Bertran* 955
UV-exposed polyester filters: weathering of polyaniline-treated fabric *Järvinen, Puolakka* 593

Viscose
regenerated lyocell fibers: structural characteristics of new and conventional fibers *Kreze, Malej* 675

Washing
lipid detergency: observed by quartz microbalance *Shimomura, Onozawa, Komiyama, Sehata* 509

Water Phenomena
wool-water mixtures: effect of cooling rate on freezing of wool-water mixtures *Takahashi, Mitomo, Arai, Takigami* 597
Water Vapor Transport
condensation in clothes at high altitudes: combined influence of temperature and pressure *Fukazawa, Kawamura, Tochihara, Tamura* 657
through clothes with condensation: combined heat and water vapor transport *Fukazawa, Kawamura, Tochihara, Tamura* 774
Wear
of wool/polyester blends: influence of varying structural parameters on abrasion *Kalaoğlu, Önder, Özipek* 980
Weathering
of polyester filter fabrics: polyaniline-treated fabric *Järvinen, Puolakka* 593
Weaves
color and weave effects: correction *Dawson* 78
matching weave and color: evolution algorithms *Grundler, Rolich* 1033
stripe-free color and weave effects: weave effect in weave-diagram format *Dawson* 1041
weave structures of fabrics: effect on structural and mechanical properties *Jeon, Chun, Hong* 929
Weaving
3D woven preforms: advanced composite materials *Chiu, Cheng* 37
shape weaving of domed fabrics: engineering, manufacturing, assessing *Chen, Tayyar* 375
weaving parameters: genetic algorithm for searching *Lin* 105
Webbing
3D molded nonwovens: effects of mold porosity on fiber distribution *Ravirala, Gong* 588
card web density: camera measurments *Dorrity, Zhao, Carr* 69
cross-lapper web making: dynamic control by microprocessors *Kuo, Chiang* 64
hydroentangled fabric geometry: effect of water jet pressure profile on composite nonwovens *Pourmohammadi, Russell, Höffele* 503
hydroentangling jet nozzle geometry: effect on flow characteristics *Ghassemieh, Versteeg, Acar* 444
hydroentangling loose fiber webs: simulating and characterizing water flows in orifices *Tafreshi, Pourdeyhimi, Holmes, Shiffler* 256
meltblown nonwovens: formed by robotic and meltblowing system; pore sizes *Velu, Ghosh, Seyam* 971
random nonwoven webs: static method for thermally bonded fabrics *Hsing, Kao* 823
thermally bonded nonwovens: effect of fiber arrangement on mechanical properties *Lin, Xu, Lei, Lou* 917
Wettability
dynamic wetting of fibers: plasma treated polypropylene observed in environmental SEM *Wei, Mather, Fotheringham, Yang* 557
Wool Fabrics
industrial sweater waste products: compression and thermal properties of fiber assemblies *Sukigara, Yokura, Fujimoto* 310
lightweight blends: mechanical properties and air permeability of four blend constructions *Önder, Kalaoğlu, Özipek* 854
spirality of wool knits: effects of yarn and knitting parameters *Chen, Au, Yuen, Yeung* 421
weave structures of fabrics: effect on structural and mechanical properties *Jeon, Chun, Hong* 929
wool shirt comfort: wear trials and forearm test *Wang, Zhang, Postle, Phillips* 113
wool/polyester blends: influence of varying structural parameters on abrasion *Kalaoğlu, Önder, Özipek* 980
Wool Fibers
fiber mixture analysis: analyzing pure wool and admixtures of cashmere *Wortmann, Phan, Augustin* 727
fiber mixture analysis: possibilities and limitations of technique for wool/cashmere mixtures *Wortmann, Phan, Augustin* 781
plasma treated: free radical formation in low temperature plasma treated fibers *Molina, Erra, Juliá, Bertran* ... 955
Solospun and ring spun wool: hairiness index of new and conventional worsted yarns *Chang, Wang* 640
surface oxidized wool: physical properties and effect of RH on static electricity *Ma, Zheng, Sun* 1100
tensile curves of: single fiber and bundle tensile properties *Yu, Yan, Postle* 875
wool/PET composite yarns: mechanical properties of composite and conventional yarns *Wu, Wang, Wang* 305
wool-water mixtures: enthalpies of water in freezing and thawing of mixtures *Takahashi, Mitomo, Arai, Takigami* 546
wool-water system: effect of cooling rate on freezing of wool-water mixtures *Takahashi, Mitomo, Arai, Takigami* 597
worsted ring spinning: reduced hairiness by modified yarn path *Wang, Chang* 327
Wrinkle Recovery
ionic crosslinking: highly cationic chitosan *Hashem, Hauser, Smith* 762
of crosslinked cotton: presence of alpha-amino acids; physical properties and agent distribution *Wang, Chen, Chen* 797
Wrinkling
effect of laundering on cotton: effects of softener and drying type and tumble drying time *Higgins, Anand, Holmes, Hall, Underly* 407
effects of laundering on cotton: dimensional stability, wrinkling, effect of detergent *Higgins, Anand, Holmes, Hall, Underly* 357
fabric wrinkle degree: evaluating with photometric stereo method *Yang, Huang* 451
nonformaldehyde DP cotton finish: acrylic and maleic acids *Udomkichdecha, Kittinaovarat, Thanasoonthornroek, Poliyaraj, Likitbanakorn* 401
of silk: aqueous epoxide finishing *Cai, Qiu* 42

X-Rays
to study changes during spinning: cotton superstructure and surface morphology changes *Sarna, Włochowicz* 216
to study polyester fiber structure: fiber and microfiber study with viscoelasticimetry *Diéval, Mathieu, Durand* 200
to study pretreated Nomex yarns: physical properties of yarns treated with amines *Wang, Chen* 395

Yarns
behavior of synthetic yarns: effect of oil film lubricating fibers *Lang, Zhu, Pan* 1071
compact spun yarns: yarn qualities and engineering problems *Cheng, Yu* 345
fancy chenille yarns: component yarn count, pile length, cleaning method *Nergis, Candan* 1052
friction of fibers in yarns: slipping behavior as function of twist *Campos, Bechtold, Rohrer* 721
hairiness of: effect on energy consumption in rotating ring-spun yarn package *Chang, Tang, Wang* 949
hollow: limits in friction spinning *Merati, Okamura* 496
slipping yarn friction: stress concentration near yarn breaks in woven fabrics *Rossettos, Godfrey* 292
spliced: evaluating with neural network and regression *Cheng, Lam* 161
spun-like continuous yarns: various plied filaments and different stages of emery wheels *Lei* 1046
thickness variations in: flying laser spot scanning method for fiber bundles *Huh, Suh* 767
twist drafting frame: yarn property control *Takemura, Nakazawa, Kawamura* 386
yarn twist distribution: dynamic analysis of rotor spinning *Xu, Tao* 79
Yarns, Specialty
fine count cotton: mixture of raw and dyed cotton *Koo, Park, An, Koo* 26
loop fancy yarns: new method on modified OE rotor spinning frame *Pouresfandiari* 209
Yellowing
of raw cotton: relationship between appearance and physical properties *Cheng, Cheng* 245